

2010

Clinical knowledge management systems: Literature review and research issues for information systems

Matthew J. Wills
Dakota State University

Surendra Sarnikar
Dakota State University

Omar F. El-Gayar
Dakota State University

Amit Deokar
Dakota State University

Follow this and additional works at: <https://scholar.dsu.edu/bispapers>

Recommended Citation

Wills, M. J., Sarnikar, S., El-Gayar, O. F., & Deokar, A. V. (2010). Information Systems and Healthcare XXXIV: Clinical Knowledge Management Systems—Literature Review and Research Issues for Information Systems. *Communications of the Association for Information Systems*, 26, pp-pp. <https://doi.org/10.17705/1CAIS.02626>

This Article is brought to you for free and open access by the College of Business and Information Systems at Beadle Scholar. It has been accepted for inclusion in Research & Publications by an authorized administrator of Beadle Scholar. For more information, please contact repository@dsu.edu.

6-1-2010

Information Systems and Healthcare XXXIV: Clinical Knowledge Management Systems—Literature Review and Research Issues for Information Systems

Matthew J. Wills

College of Business and Information Systems, Dakota State University, willsm@pluto.dsu.edu

Surendra Sarnikar

College of Business and Information Systems, Dakota State University

Omar F. El-Gayar

College of Business and Information Systems, Dakota State University

Amit V. Deokar

College of Business and Information Systems, Dakota State University

Follow this and additional works at: <http://aisel.aisnet.org/cais>

Recommended Citation

Wills, Matthew J.; Sarnikar, Surendra; El-Gayar, Omar F.; and Deokar, Amit V. (2010) "Information Systems and Healthcare XXXIV: Clinical Knowledge Management Systems—Literature Review and Research Issues for Information Systems," *Communications of the Association for Information Systems*: Vol. 26, Article 26.

Available at: <http://aisel.aisnet.org/cais/vol26/iss1/26>

This material is brought to you by the Journals at AIS Electronic Library (AISeL). It has been accepted for inclusion in Communications of the Association for Information Systems by an authorized administrator of AIS Electronic Library (AISeL). For more information, please contact elibrary@aisnet.org.

Communications of the Association for Information Systems

CAIS 

Information Systems and Healthcare XXXIV: Clinical Knowledge Management Systems—Literature Review and Research Issues for Information Systems

Matthew J. Wills

*College of Business and Information Systems, Dakota State University
willsm@pluto.dsu.edu*

Surendra Sarnikar

College of Business and Information Systems, Dakota State University

Omar F. El-Gayar

College of Business and Information Systems, Dakota State University

Amit V. Deokar

College of Business and Information Systems, Dakota State University

**Note: All authors contributed equally to the manuscript*

Abstract:

Knowledge Management (KM) has emerged as a possible solution to many of the challenges facing U.S. and international healthcare systems. These challenges include concerns regarding the safety and quality of patient care, critical inefficiency, disparate technologies and information standards, rapidly rising costs and clinical information overload. In this paper, we focus on clinical knowledge management systems (CKMS) research. The objectives of the paper are to evaluate the current state of knowledge management systems diffusion in the clinical setting, assess the present status and focus of CKMS research efforts, and identify research gaps and opportunities for future work across the medical informatics and information systems disciplines. The study analyzes the literature along two dimensions: (1) the knowledge management processes of creation, capture, transfer, and application, and (2) the clinical processes of diagnosis, treatment, monitoring and prognosis. The study reveals that the vast majority of CKMS research has been conducted by the medical and health informatics communities. Information systems (IS) researchers have played a limited role in past CKMS research. Overall, the results indicate that there is considerable potential for IS researchers to contribute their expertise to the improvement of clinical process through technology-based KM approaches.

Keywords: clinical knowledge management; information systems research, medical informatics, knowledge management systems

Volume 26. Article 26. pp. 565-598. June 2010

I. INTRODUCTION

Healthcare systems around the world are facing significant challenges with respect to rising costs, medical errors, aging populations and chronic disease management, among others. In 2005, U.S. healthcare expenditures increased at twice the rate of inflation and represented roughly 16.2 percent of the GDP [Catlin, 2006]. By way of comparison, it is expected that healthcare spending in Europe will reach 10–13 percent of GDP by 2050 [NCHC, 2007]. Some estimates indicate that as many as 100,000 people die each year in the U.S. due to preventable medical errors [IOM, 2001], and experts believe that the figures are of a similar magnitude in Europe [NCHC, 2007].

Moreover, clinicians today must be informed or have access to information for more than 10,000 known diseases, thousands of medications in use and under development, some 1,100 lab tests, 300+ radiology procedures and more than 2,000 individual risk factors [Pavia, 2001]. In 2002 the National Library of Medicine's Medline database held more than 4500 journals, and contained nearly twelve million citations in thirty languages with more than 400,000 new entries added each year [Masys, 2002].

Given the knowledge-intensive nature of the clinical domain, it has become increasingly difficult for clinicians to effectively practice medicine by relying solely on memory and experience [Masys, 2002]. Apart from the broader social, political, and economic healthcare realities, a partial solution to the challenges of limited resources, patient safety, information overload, and critical inefficiency lies at the intersection of technology and knowledge management (KM).

Technology-based KM has the potential to address a number of significant challenges in the clinical setting, including: (1) Reducing the problem of information overload by facilitating access to relevant knowledge and information at the time and place of clinical intervention, (2) Improving efficiency and clinical outcome through the integration of evidence-based standardized clinical practices and guidelines, (3) Improving patient safety and reducing medical error through clinical process standardization and core competency building resulting from heightened access to clinical knowledge, and (4) Supporting individual and organizational growth through technology and KM practices by enhancing learning through collaboration, efficient knowledge creation, and improved diffusion and utilization [Bose, 2003]. In that regard, knowledge management systems (KMS) refers to a class of information systems applied to managing organizational knowledge [Alavi and Leidner, 2001]. Given the current state of healthcare and the potential role of technology, there is a tremendous opportunity for IS researchers to contribute their knowledge and expertise to effect substantive change in the clinical domain. Accordingly, the objectives of this paper include the evaluation of the current state of KMS diffusion in the clinical setting, assessment of the present status, and focus of CKMS research efforts through a review of the literature, and identification of research gaps and opportunities for future work.

The paper is organized as follows: In Section 2 we provide a background on the clinical environment, describing the key processes of diagnosis, treatment, monitoring, and prognosis. This section also introduces the relevant human roles as well as the nature and diversity of clinical knowledge. In section 3, the methodology used to select articles for analysis is presented along with the results of the literature search. Section 4 is organized around information systems' support for clinical processes and the knowledge management activities of creation, storage, transfer, and application as discussed in Alavi and Leidner [2001]. Here, we present a synthesis of the extant literature, identify research gaps, and propose directions for future research efforts. Section 5 concludes the paper with a summary of key findings, contributions, and limitations.

II. CLINICAL ENVIRONMENT

In this section, a description of the key elements of the clinical environment is provided. Specifically, this section intends to answer the following questions:

1. What are the key processes in a clinical environment?
2. What are the key roles in a clinical environment?
3. What is the nature of clinical knowledge?

We define clinical processes as medical practices directly associated with patient care at the bedside or in hospital or clinic environments, and include the processes of diagnosis, treatment, monitoring, and prognosis [Wulff, 2000]. Diagnosis refers to the evaluation of signs and symptoms for the purpose of making a determination regarding the

nature or origin of disease or injury. It involves processes of evaluating cause and effect and their application in light of the evidence to arrive at substantiated conclusions. Treatment refers to the application of known disease interventions to the specifics of the patient. Monitoring is the process of evaluating diagnosis and treatment against desired outcome, and prognosis refers to the prediction of future outcomes based on specific interventions.

The first step in all of these processes includes the collection of data in the form of patient interviews, lab tests, imaging studies, medical history, and risk factors, among others. This step is followed by data analysis. Depending on whether diagnosis is certain, therapeutic decisions are made or more information is sought through additional data collection. The theoretical basis for each of these four processes is clinical decision theory (CDT), which attempts to explain their mechanics from a cognitive perspective. CDT relies on multiple scientific perspectives including epidemiology, biostatistics, medical ethics, behavioral and cognitive psychology, and specific clinical domain knowledge [Wulff, 2000].

There are two distinct roles involved in the processes of clinical care: clinicians and patients. Clinicians include physicians, mid-level providers (nurse practitioners, physician assistants) and nurses involved in the diagnosis, treatment, monitoring and prognostic activities of clinical care. Each have specific knowledge requirements. For example, while the primary care clinician is often faced with multiple, vague symptoms requiring access to a broad knowledge base, the specialist frequently requires detailed information of a specific body system for effective decision making [Essex and Healy, 1994]. Patients play an important role as well - they are the repositories of their own personal health knowledge as well as the fundamental reason for clinical quality improvement through CKMS.

The clinical processes of diagnosis, treatment, monitoring and prognosis are largely driven and shaped by knowledge, both clinical as well as contextual. Knowledge has been described and defined variously throughout the literature, the key distinction being tacit and explicit knowledge. Tacit knowledge is contextual, based on experience and not easily codifiable, while explicit knowledge is representable and able to be communicated [Nonaka, 1994; Polanyi, 1967]. In the clinical setting knowledge is present in both tacit and explicit forms, and both are required to accurately formulate diagnostic treatment and monitoring strategies. Clinicians utilize patient, biomedical, and clinical process knowledge types. Patient knowledge is both explicit knowledge of a unique patient, such as medical history, medication history, lab results, living environment, and social and occupational history; and it can be tacit and contextual in nature. Biomedical knowledge is rooted in the biological, biochemical, physiological, and anatomical sciences, among others. This knowledge is explicit in nature and well-documented, though not necessarily always accessible. Clinical process knowledge can be either explicit—in the form of clinical practice guidelines and treatment protocols, or tacit—such as it is when the clinician develops differential diagnosis skills over time and with practice.

Given the multiple dimensions and complexity of clinical knowledge and the high accuracy requirements in clinical decision making, there is a need for clinical knowledge management systems that assist clinicians with the processes of diagnosis, treatment, monitoring, and prognosis. This is accomplished through the use of technologies that support the creation, storage, retrieval, sharing, and application of clinical knowledge. The following section presents an overview of the methodology used to conduct the literature review.

III. METHODOLOGY

The study is comprised of extensive content analysis of pertinent literature in a selected list of health informatics and IS journals based on the categorical works of Morris [1998] and Wilson and Lankton [2004]. Morris and McCain [1998] utilized citation analysis from the 1997 ISI Journal Citation Reports to identify and rank a set of twenty core health informatics journals. Ranking was accomplished by determining impact factors for each journal, which function as surrogate measures for IS journal rankings. This set was later updated by Wilson et al. [2004] using 2003 ISI Journal Citation Reports data, and was expanded to include a list of the ten most highly ranked information systems journals, according to the Association for Information Systems.

The literature search was conducted through Web of Science, which provided access to the Science Citation Index (SCI) Expanded database and the Social Sciences Citation Index (SSCI) database. SCI and SSCI were used because they index each of the journals identified by Wilson and Lankton [2004]. To ensure that our search is inclusive, a broad keyword search for “knowledge AND (management or clinical)” over a period from 1991 to 2008 resulted in 1269 articles. The criteria for identifying relevant articles was based on the contributions of a given article to the design and evaluation of a knowledge management system in the clinical setting. Accordingly, articles are included in the review if they address any aspect of a knowledge management system which supports one or more KM processes in a clinical setting/environment. Articles with a nonclinical orientation, such as those with a primary focus on KM or KMS for medical education, medical/biological research, healthcare administration and business, healthcare policy, medical/legal, veterinary, and pharmacy issues do not meet the criteria for inclusion.

With respect to the evaluation of the initial search results for relevance, a random subset of fifty articles (from the original 1269 results) was independently reviewed by the authors using a standardized worksheet based on the aforementioned criteria. Initial comparison of the independent coding efforts indicated 88 percent inter-coder agreement with respect to relevance. Analysis of the coding results indicated that each instance of initial disagreement was related to coder error with respect to identification of the clinical setting. Clarifying the notion of a clinical setting (as outlined in the previous section), we repeated the coding for another subset of fifty randomly selected articles resulting in 100 percent inter-coder reliability. The 1269 articles were then reviewed for relevance resulting in 372 references relevant to clinical knowledge management systems. Table 1 summarizes the methodical steps in the coding process described above.

Coding Step	Description
Step 1	Web of Science (SCI and SSCI indexes) search: “knowledge AND (management or clinical)” from 1991 to 2008, limited to Wilson and Lankton [2004] set of IS and Health/Medical Informatics publications. The search resulted in 1269 articles.
Step 2	Assessment of inter-coder reliability—two sets of fifty random articles were evaluated independently by three authors. Set 1 achieved 88 percent inter-reliability. The coding scheme was further refined by clarifying the notion of a clinical setting for the second set resulting in 100 percent inter-rater reliability.
Step 3	All 1269 articles reviewed for relevance resulting in 372 articles
Step 4	All 372 articles were categorized according to criteria noted in Table 2 by two independent authors. Any disagreement was resolved by consensus resulting in: <ul style="list-style-type: none"> • Knowledge Creation: 54 articles • Knowledge Storage/Retrieval: 137 articles • Knowledge Transfer: 46 articles • Knowledge Application: 135 articles

Next, relevant articles were categorized with respect to KM process (creation, storage/retrieval, transfer, and application) and clinical process (diagnosis, treatment, monitoring, prognosis). Based on the aforementioned definitions of KM and clinical processes, each article was independently evaluated by two authors. Disagreements were then resolved by discussion and consensus. In the case of clinical processes, some articles spanned across multiple processes. In such cases, the articles were assigned to multiple clinical process categories. Table 2 summarizes the definitions used to categorize the relevant articles as per the KM Processes.

KM Process	Criteria
Knowledge Creation	An article is included in this category if it focuses on the facilitation of the development of new tacit or explicit knowledge by a KMS. Examples of these systems include those that enable the creation of new knowledge via socialization among knowledgeable people and also systems that help find interesting patterns in data and information.
Knowledge Storage/Retrieval	An article is included in this category if it pertains to a KMS for knowledge storage and/or retrieval. Such systems enable the storage, organization, and retrieval of knowledge in various forms such as documents, databases, codified knowledge such as expert systems, documented processes and tacit knowledge possessed by individuals [Alavi and Leidner, 2001].
Knowledge Transfer	An article is included in this category if it focuses on knowledge transfer/sharing systems. Such systems support the processes through which explicit or tacit knowledge is communicated to individuals [Becerra-Fernandez et al., 2004]. Examples of such systems include discussion forums, chat groups, and collaboration systems.
Knowledge Application	An article is included in this category if it describes a knowledge application system. Such systems support the process through which some individuals utilize knowledge possessed by other individuals. Mechanisms for supporting knowledge application include routines (best practices, organizational policies, workflow systems etc.) and direction (expert systems, decision support systems, troubleshooting systems, and case-based reasoning systems) [Becerra-Fernandez et al., 2004].

Table 3 provides the definitions used to categorize articles as per the four clinical process categories of diagnosis, treatment, monitoring and prognosis.



Table 3: Clinical Process Definition	
Clinical Process	Operational Definition
Diagnosis	Diagnosis refers to the evaluation of signs and symptoms used to make a determination regarding the nature/origin of disease or injury.
Treatment	Treatment refers to the application of known disease interventions to the specifics of the patient.
Monitoring	Monitoring is the process of evaluating diagnosis and treatment against desired outcome.
Prognosis	Prognosis refers to the prediction of future outcomes based on specific interventions.

The search process outlined above identified 372 relevant articles from thirty-one journals, as shown in Table 4.

Table 4: Number of Articles by Journal	
Journal	Number of Articles
<i>Journal of the American Medical Informatics Association</i>	66
<i>Artificial Intelligence in Medicine</i>	62
<i>Methods of Information in Medicine</i>	42
<i>Journal of Biomedical Informatics</i>	28
<i>International Journal of Medical Informatics</i>	22
<i>Computers in Biology and Medicine</i>	19
<i>Computer Methods and Programs in Biomedicine</i>	14
<i>IEEE Transactions on Information Technology in Biomedicine</i>	12
<i>International Journal of Clinical Monitoring and Computing</i>	12
<i>Medical Informatics</i>	10
<i>Computers and Biomedical Research</i>	9
<i>Medical Informatics and the Internet in Medicine</i>	9
<i>Medical Decision Making</i>	7
<i>CIN-Computers Informatics Nursing</i>	7
<i>Decision Support Systems</i>	5
<i>International Journal of Bio-Medical Computing</i>	4
<i>Journal of Clinical Monitoring and Computing</i>	4
<i>Bulletin of the Medical Library Association</i>	3
<i>Journal of Evaluation in Clinical Practice</i>	3
<i>Medical and Biological Engineering & Computing</i>	3
<i>Health Affairs</i>	2
<i>IEEE Engineering in Medicine and Biology Magazine</i>	2
<i>MISQ</i>	1
<i>Journal of the Medical Library Association</i>	1
<i>Journal of Management Information Systems</i>	1
<i>Health Care Strategic Management</i>	1
<i>British Journal of General Practice</i>	1
<i>Academic Medicine</i>	1
<i>Journal of Medical Systems</i>	1
<i>Communications of the ACM</i>	1
<i>Australian and New Zealand Journal of Medicine</i>	1

IV. FINDINGS, DISCUSSION, AND RESEARCH ISSUES

Knowledge Creation

Knowledge creation refers to the “development of new tacit or explicit knowledge from data and information or from the synthesis of prior knowledge” [Becerra-Fernandez et al., 2004]. A total of fifty-four articles were found relevant to knowledge creation. A variety of systems and technologies support knowledge creation in the clinical environment, including neural networks, data mining techniques, Bayesian methods, and many others. These technologies make it possible for knowledge to be created from disparate data sources and used to support the clinical processes of diagnosis, treatment, monitoring and prognosis. Figure 1 depicts the distribution of articles across the four dimensions of clinical process.




Figure 1. Distribution of Articles in Knowledge Creation Category by Clinical Process

Knowledge Creation Systems: Diagnosis

The clinical process of diagnosis requires evaluation of complex, interrelated and frequently contradictory information. To support this process, a number of technologies, systems, and methods have evolved. Rule induction algorithms such as ID3, and other approaches for generating clinical decision trees and rules support diagnosis for liver diseases [Babic et al., 1998], newborn syndromes [Braaten, 1996], abdominal pain [Ohmann et al., 1996], meningitis and hepatitis [Ohsaki et al., 2007], and others [Vannozzi et al., 2007; Wilcox and Hripcsak, 1998]. Diagnosis based on image data is a common method of computer mediated support, as was the case for Hothorn et al. [2003] who applied classifier trees to the diagnosis of glaucoma.

Bayesian networks play a crucial role in creating knowledge used for diagnosis. Such modeling techniques have been used in support of the diagnosis of depression [Chevolat et al., 1998] and myocardial perfusion [Sacha et al., 2002]. In the latter case cardiac images were analyzed, while other research applied Bayesian probability measures to endoscopic images to calculate probabilities for sub-decisions [Zheng et al., 2005]. Another example of this approach includes the use of Bayesian classifiers in the diagnosis of visual field deterioration [Tucker et al., 2005],

Data mining and machine learning techniques are often used for diagnostic knowledge creation. It was noted above that Sacha [2002] used Bayesian learning as a technique for myocardial perfusion diagnosis. A data mining approach was used by [Kurgan et al., 2001] in the analysis of cardiac images for perfusion diagnosis. Both methods produced highly accurate diagnoses. For example, McSherry [1999] used data mining techniques for creating new clinical diagnostic knowledge, as did Nigrin [Nigrin and Kohane] and Tan et. al [2003], who used the technique along with genetic algorithms for hepatitis and breast cancer diagnostic support. Genetic algorithms (GA) overcome the limitations of traditional model estimation and have been used as noted above, as well as for other complex diagnostic problems such as glucose metabolism [Morbiducci et al., 2005].

Other technologies that create knowledge for clinical diagnosis include data visualization techniques [Falkman, 2001], and artificial neural networks (ANN), which excel at identifying complex relationships between data. Examples include an ANN for the diagnosis of myocardial infarction [Baxt, 1994], and an ANN for the diagnosis of lung nodules from chest images [Coppini et al., 2003]. Fuzzy Logic has been applied to problems where accurate differentiation between complex data points is required, for example, tissue characterization for liver disease diagnosis [Badawi et al., 1999]. Another approach centered on the reduction of computational resources is rough set theory. This method was used by Tsumoto [1998, 2000, 1997] to discover probabilistic rules and knowledge from clinical databases.

Knowledge Creation Systems: Treatment

Decisions with respect to patient treatment are complicated, due to the multitude of factors that must be considered [Ying et al., 2006]. In response to this, IS researchers have developed technologies, systems, and methods to assist the clinician with the treatment decision task. As with diagnosis above, knowledge creation systems oriented toward treatment utilize a variety of approaches for decision support, including ANNs, data mining, fuzzy logic and Bayesian methods, among others.

ANNs facilitate knowledge creation during the treatment process, and frequently do so by predicting patterns in data. Hemodynamic pattern identification and prediction via ANNs in the Intensive Care Unit (ICU) was accomplished by Spencer et al. [1997], and ANNs have been used to support treatment choices regarding neuromuscular blockade [Lendl et al., 1999] and third-molar treatment planning in orthodontics [Brickley and Shepherd, 1996].

Fuzzy Logic has been applied to the treatment decision process for neuromuscular blockade [Mason et al., 1999] and optimization of HIV treatment regimens [Ying et al., 2006]. Optimization of treatment planning has been addressed by Chi et al. [2008]; however, the method in this case involved the use of a unique optimization algorithm enabling construction of an expert system without a knowledge base requirement. In contrast to fuzzy and optimization methods, Zalounina et al. [2007] developed a stochastic model as a causal probabilistic network to predict future resistance to antibiotic therapy.

The creation of knowledge in support of treatment decisions has been facilitated by the novel development and use of knowledge-based systems (KBS), data mining, genetic algorithms, case-based reasoning (CBR), natural language processing (NLP), decision trees, and Bayesian methods. Examples include a KBS for medication side effects [Schmalhofer and Tschaitchian, 1998], data mining techniques for pediatric arrhythmia and kidney dialysis [Kusiak et al., 2005; Kusiak et al., 2001], and a genetic algorithm for chemotherapy drug scheduling [Liang et al., 2006]. Boyle et al. [1997] used another approach for chemotherapy treatment scheduling by developing a simulation engine using the WWW to create graphic illustrations of treatment regimens.

CBR has been used for invitro fertilization prediction [Jurisica et al., 1998], and NLP for automated treatment knowledge generation from biomedical and clinical documents [Chen et al., 2008]. Other methods include a decision tree approach enabling machine learning for pediatric abdominal pain treatment [Blazadonakis et al., 1996], and risk management in hemodialysis is addressed by formalizing the problem as a Bayesian network [Cornalba et al., 2008].

Knowledge Creation Systems: Monitoring

Creating knowledge to support the clinical process of patient monitoring is evident in the literature, albeit with less emphasis than diagnosis or treatment. Many of the same technologies and methods are used for monitoring, and include fuzzy logic, data mining, ANNs, Bayesian and time-series analyses.

Fuzzy logic-based systems have been documented in association with data mining techniques [Delgado et al., 2001], as well as in the domain of trend detection in surgical anesthesia monitoring [Jones et al., 2001]. Analysis of time-series data has a prominent role in knowledge creation. For example, Bellazzi et al. [2000, 1998] uses this approach in the diabetes domain, and Guyet et al. [2007] create knowledge from time-series data via a human-computer collaborative system.

Other methods of knowledge creation include a data mining approach for pediatric cardiac issues [Kusiak et al., 2006], and a combined data mining and ANN system using bedside monitoring data as intermediate outcome data [Silva et al., 2008]. A rules-based system proved successful at generating intelligent alarms in cardio-anesthesia monitoring [Popp et al., 1991].

Knowledge Creation Systems: Prognosis

One of the fundamental tasks of clinical medicine is the prediction of disease outcome based on intervention. Systems and technologies that support the process of prognosis include data mining, decision trees, temporal abstraction, and Bayesian methods.

Evidence for the use of data mining techniques was found in the literature. For example, data mining is used in conjunction with hierarchical decision modeling to predict long-term outcome following hip arthroplasty [Zupan et al., 2001]. Other uses of data mining techniques involve predicting early mortality in diabetic patients [Richards et al., 2001], and identification of factors contributing to preterm birth in obstetrical patients.

Apart from data mining, other techniques used for prognostic support include temporal abstraction for predicting health status from intensive care monitoring data [Verduijn et al., 2007b], a prognostic Bayesian network for clinical outcome prediction [Verduijn et al., 2007a], and a decision tree approach to extracting and using knowledge from large medical databases [Bohren et al., 1995].

Prognostic systems are tools that reveal patterns in patient data allowing prediction of disease outcome. Table 5 below illustrates the distribution of knowledge creation systems according to the underlying technology or method used.

Table 5: Distribution of Knowledge Creation Systems by Technology

Technology/Method	Number of Articles
Data Mining	12
Decision Tree	9
Bayesian	8
ANN	6
Fuzzy Logic	5
Temporal Abstraction	3
Genetic Algorithm	2
Rough Set Theory	2
Natural Language Processing	2
Visualization	1
Case-based Reasoning	1
Optimization	1
Causal Probability Network	1
Knowledge-based System	1

Knowledge Creation Systems: Research Issues

Research on knowledge creation systems has been focused primarily on support for the clinical processes of diagnosis and treatment. In the review, there are twenty-one references for diagnostic knowledge creation systems, sixteen for treatment, seven for monitoring and only six references for prognostic systems. Another area that is largely unaccounted for in the literature includes knowledge creation from tacit knowledge. Nonaka [1995] identified socialization as one of the four modes of knowledge creation and refers to the conversion of tacit knowledge into new tacit knowledge through social interaction and shared experience. The tacit knowledge held by individuals is one of the clinical organizations' most valued assets; however, the literature review did not identify any systems to support this mode of knowledge creation.

Other research areas to be considered for future work include automated knowledge creation from image analysis and text mining, as well as visualization models. As noted above, the literature review did identify some research on image analysis; however, further work remains to be done. Models that enable the visualization of data and knowledge were infrequently noted throughout the review, highlighting another area where research efforts have been insufficient. Another promising avenue for study includes the development of prognostic systems that integrate drug therapy and treatment models along with patient-specific genetic data for outcome prediction.

Knowledge Storage and Retrieval

Knowledge storage and retrieval systems enable the storage, organization, and retrieval of knowledge in various forms such as documents, databases, codified knowledge such as expert systems, documented processes, and tacit knowledge possessed by individuals [Alavi and Leidner, 2001]. A total of 137 articles were found relevant to knowledge storage and retrieval. An analysis of clinical knowledge management literature in this area shows the emergence of four major themes that include computer-based clinical knowledge representation techniques, knowledge retrieval system, knowledge acquisition and storage systems, and knowledge-base verification mechanisms. As shown in **Error! Reference source not found.2**, the knowledge representation techniques represents the largest category with seventy-two articles, followed by acquisition and storage, retrieval, and verification.




Figure 2. Distribution of Articles in Storage and Retrieval Category

Clinical Knowledge Representation

Most articles describing knowledge storage and retrieval systems for clinical knowledge management focus on computer-based clinical knowledge representation techniques. Developing effective knowledge representation mechanisms is a first step toward enabling effective storage and retrieval of clinical knowledge. The contributions in this area can be further categorized into the following classes: Medical terminology systems, clinical guideline representations, probabilistic and fuzzy knowledge representation techniques, Semantic web-based technologies and temporal knowledge representation mechanisms.

A key requirement for the unambiguous representation and storage of medical knowledge is the development of controlled medical terminologies, which, given their size and complexity, can be maintained only by using computer-based mechanisms. Several studies have looked at mechanisms for the development and maintenance of computer-based medical terminologies [Cimino, 1998a; Cimino, 1998b; Cimino et al., 1994; Harris et al., 2000; Lindberg et al., 1993; Rector et al., 1997; Schulz et al., 1997] and medical terminology servers [Cimino, 2001] for knowledge acquisition, storage, and retrieval purposes. However, effective utilization of medical terminology systems as a knowledge-base and for knowledge representation and storage requires the development of mapping mechanisms between different terminology systems and between terminology systems and natural language expressions and electronic database schemas. Toward this end, various researchers have focused on embedding clinical knowledge into healthcare information systems by developing mappings between specialized glossaries such as SNOMED and DICOM [Bidgood, 1998], mapping natural language expressions to coding schemes [Carlsson et al., 1996; Geissbuhler and Miller, 1998], integration of terminologies [Choi et al., 2005; Chute et al., 1998; Elkin and Brown, 2002; Park et al., 2007] or by embedding medical data dictionaries into healthcare information systems [Burkle et al., 1998]. Other studies on medical terminology systems include the evaluation of completeness of medical concept vocabularies for representing medical procedures [Bodenreider et al., 1998; Dykes et al., 2003] and validating their structures [Cornet and Abu-Hanna, 2005; Rogers et al., 1998].

Accumulated medical knowledge is stored and shared among practitioners in the form of clinical practice guidelines. In order to integrate clinical practice guidelines with healthcare information systems, they need to be represented in a computer interpretable format. Increased adoption of computer-based guidelines by physicians requires explicit consideration of deep medical knowledge in the design of computer-based guidelines [Barahona et al., 1995]. Several models have been proposed and evaluated for the representation of sharable computer-interpretable guidelines including GLIF [Boxwala et al., 2004; Boxwala et al., 2001; Patel et al., 1998; Patel et al., 2002], PROforma [Fox et al., 1997; Sutton and Fox, 2003], GEM [Shiffman et al., 2000; Shiffman et al., 2004], HELEN [Skonetzki et al., 2004] and GLARE [Terenziani et al., 2001].

Other clinical guideline representation studies in this area include mechanisms for visualizing the logic of clinical guidelines [Brandt et al., 1997], representing the temporal aspects of clinical guidelines [Guarnero et al., 1998], exploring XML [Hoelzer et al., 2001; Schweiger et al., 2001], relational [Hales et al., 1997; Lobach et al., 1997] and frame-based [Sorenson et al., 2008] representations of clinical guidelines. Mechanisms for converting between different guideline formats [Shahar et al., 2004], comparisons between different representation schemes [Peleg et al., 2001], decision tree methods for computerizing text guidelines [Colombet et al., 2005], and the development of ontologies to map clinical guidelines to electronic medical records [Peleg et al., 2008] have also been explored.

Beyond clinical guidelines, other clinical knowledge representation mechanisms proposed in literature include rule-based and knowledge-based mechanisms, ontologies, and probabilistic networks. Rule-based representation schemes include Arden Syntax [Hripcsak, 1994; Kuhn and Reider, 1994; Pryor, 1994; Pryor and Hripcsak, 1993], CLIPS [Pankaskie and Wagner, 1997] and Knowledge-based Temporal Abstractions (KBTA) [Shahar and Musen, 1996]. Ontologies and semantic modeling technologies have been used for a wide variety of knowledge representation tasks, including ensuring semantic consistency of shared clinical knowledge [Eccher et al., 2006], for representing shared knowledge for collaborative diagnosis [Dieng-Kuntz et al., 2006], for representing medical reasoning [Schulz et al., 1998], biomedical knowledge [Paul et al., 2006], semantic annotation of medical images [Barb et al., 2005], and for organizing clinical research results for evidence-based practice [Sim et al., 2004]. Probabilistic structures used for representing and modeling clinical knowledge include fuzzy logic and fuzzy rules [Brai et al., 1994; Kwiatkowska et al., 2007; Kwok et al., 2003; Leitich et al., 1996] and Bayesian networks [Green, 2005; Labatut et al., 2004; van Gerven et al., 2008]. Customized knowledge frameworks in specialized clinical domains, such as psychoactive drug selection [Van Hyfte et al., 2001], oncology [Bielza et al., 2008], and drug prescription databases [Riou et al., 1999] have been proposed in literature.

The temporal aspect of clinical knowledge is key to representing therapeutic knowledge required to treat patients over prolonged periods of time [Barreiro et al., 1993; Combi and Shahar, 1997; Peek, 1999]. Representation schemes for temporal aspects of clinical knowledge include those based on object oriented models [Combi and Chittaro, 1999], XML [Combi et al., 2005], rule-based [Guarnero et al., 1998], graph grammars [Muller et al., 1996], and representation schemes for temporal reasoning [Kindler et al., 1998].

Knowledge Acquisition and Storage

Knowledge capture is enabled through knowledge engineering and acquisition techniques. Several knowledge acquisition techniques have been proposed for capturing and documenting clinical knowledge. Graphical tools and methods used for knowledge acquisition include a Unified Modeling Language (UML) based knowledge acquisition method [Garde et al., 2004], graphical knowledge acquisition tools that support the specification of temporal patterns [Chakravarty and Shahar, 2001; Shahar et al., 1999], clinical guidelines [de Clercq et al., 1999; de Clercq et al., 2000; de Clercq et al., 2001], graph-based knowledge engineering techniques [Gortzis and Nikiforidis, 2008], and knowledge-base driven user interface for capturing clinician knowledge during practice [Chambrin et al., 1995].

Other contributions in this area include mechanisms for improving the human readability of medical logic modules (MLM), thereby enabling clinical experts to encode their knowledge using MLM [Choi et al., 2006], knowledge acquisition techniques for case-based reasoning in the clinical domain [Elgamal et al., 1993; Khan and Hoffmann, 2003], knowledge acquisition process for developing a knowledge-based system [Heindl et al., 2000], Internet-based knowledge acquisition methods for the development of large-scale medical expert systems [Yan et al., 2004], web-enabled XML-based knowledge authoring environment [Hulse et al., 2006; Hulse et al., 2005], and a text mining method for extracting clinical knowledge from narratives [Elgamal and Esmail, 1995; Friedman et al., 1994; Friedman and Hripcsak, 1999; Friedman et al., 2002] and for converting paper-based guidelines to computerized guidelines [Georg et al., 2005].

Articles related to clinical knowledge storage describe the design and development of medical digital libraries [D'Allesandro et al., 2005; Datri, 1994], automatic text classification and organization of clinical knowledge [Wilcox and Hripcsak, 2003], design and development of knowledge-based system [Coleman et al., 1993; Jenders et al., 1998; Jenders et al., 1994; Kalogeropoulos et al., 2003], mechanisms for structuring Artificial Intelligence (AI) knowledge-bases [Mira et al., 1998] and structure of rule-bases [Wright et al., 2007], and issues and mechanism for maintaining and combining knowledge bases [Miller, 1998; Miller et al., 1997a; Miller et al., 1998; Miller et al., 1997b]. Methodologies proposed for developing medical knowledge bases include the MACCORD methodology [Kraus et al., 1993], and a formal concept analysis based method for building clinical ontologies [Jiang et al., 2003].

Knowledge Retrieval

Effective knowledge retrieval techniques are necessary to enable the transfer and application of clinical knowledge. Proactive and context specific knowledge can be provided by integrating electronic medical records with clinical

knowledge repositories. Several studies propose various retrieval mechanisms to enable such integration of electronic medical records with knowledge sources. Boulos et al. [2002] propose a semantic web-based retrieval technology that retrieves relevant clinical knowledge by automatically matching clinical codes from an electronic medical record to a knowledge base. Brennan and Aronson [2003] propose a natural language processing-based tool that automatically identifies clinical concepts from patient e-mail and links it with clinical terminologies, thereby enabling access to electronic clinical knowledge resources. Cimino et al. [1997] and Ruan et al. [2000] propose mechanisms to dictionary-based approaches to connect clinical systems with knowledge repositories. Powsner and Miller [1992], and Sneiderman [2007] propose knowledge-based mechanisms for guiding clinicians from a clinical report to relevant clinical literature. Tarczy-Hornoch et al. [1997] propose mechanisms for integrating medical records with relevant online clinical knowledge resources.

Several specialized retrieval techniques have been proposed for retrieving clinical knowledge. Examples of the specialized techniques include concept-based markup and indexing schemes that allows complex clinical queries and the retrieval of highly relevant articles [Kim et al., 1998], knowledge-based and intelligent retrieval systems for exploring time-oriented clinical data [Martins et al., 2008] and medical image-based knowledge repositories [Lowe et al., 1998; Sheng et al., 2000], agent based architectures for medical information retrieval [Walczak, 2003] and a question answering system that analyzes large number of documents to provide short coherent answers [Yu et al., 2007]. New knowledge navigation techniques such as problem focused knowledge navigation method [Meyers et al., 1998], adaptive hypermedia method [Pagesy et al., 2000], ontologies [Bratsas et al., 2007], HL7-based query models [Jenders et al., 1997], and folder based techniques [Ferri, 1995] for organizing, retrieving, and navigating clinical knowledge have been proposed. Other studies in clinical knowledge retrieval include analysis of information seeking practices of clinicians [Callen et al., 2008; Hersh et al., 2002; Hung et al., 2008; Jerome et al., 2001], and evaluation of effectiveness of retrieval techniques from various knowledge repositories such as MEDLINE [Haux et al., 1996; Haynes et al., 1994].

Knowledge-Base Verification

The verification and validation of clinical knowledge is necessary to improve the quality of clinical guidelines and knowledge-based systems and consequently the clinicians trust in the systems. Duftschmid et al. [2001, 2002] propose a knowledge-based verification method for detecting anomalies in clinical guidelines and temporal scheduling constraints. Miller et al. [1999, 2001, 2001] propose a computer-based verification tool to verify computer-based computer guidelines and to further maintain and incrementally revalidate them; ten Teije et al. [2006] propose formal methods for the verification of clinical protocols.

Knowledge Storage and Retrieval: Research Issues

As mentioned earlier, the bulk of the literature in this category addresses knowledge representation issues and is deficient in addressing knowledge retrieval issues. Most articles that deal with retrieval focus on integrating clinical information systems with knowledge repositories via simple search mechanisms, propose knowledge navigation techniques for knowledge exploration, or evaluate simple search engines. There is limited literature that discusses advanced search techniques for executing complex clinical queries on knowledge repositories. Given the inefficiency of current search techniques and the limited time availability, clinicians mostly rely on medical librarians for search and retrieval functions, thereby introducing large delays and costs in enabling knowledge transfer. Additional research on specialized domain specific search engines that can run complex clinical queries and return accurate results is necessary to increase the adoption of medical knowledge retrieval systems at the point of care.

There is limited literature on the information-seeking behavior of clinicians. While there are studies that explore knowledge sources and knowledge requirements of clinicians, there is limited research on the environment in which knowledge retrieval takes place. There is a need for understanding information-seeking behavior in the context of clinician time and motion studies to help identify most suitable retrieval mechanisms, such as mobile devices, adaptive interfaces, etc., in a given context.

Several knowledge acquisition techniques specifically adopted to the clinical environment have been proposed. Most of the techniques focus on the development of clinical guidelines synthesized through published medical literature. However, there is limited literature on acquisition of experience-based tacit clinician knowledge and point-of-care knowledge acquisition techniques. Given that there is a significant time lag involved in the transfer of medical knowledge validated by scientific clinical studies, tacit clinical knowledge and knowledge captured at the point-of-care can serve as a preliminary source of knowledge that can help identify promising new developments.

Clinical knowledge stored in narratives and unstructured or semi-structured text is inaccessible as it is not computer interpretable and, therefore, cannot be easily transferred. The use of text mining to convert clinical knowledge in

narratives and text to a computer interpretable form can greatly increase the accessibility of such knowledge. While there are a few articles that address this issue, this topic is largely unexplored.

Knowledge Sharing

“Knowledge sharing systems support process through which explicit or tacit knowledge is communicated to individuals” [Becerra-Fernandez et al., 2004]. A total of forty-six articles were found relevant to knowledge sharing. Examples of such systems include discussion forums, chat groups, collaboration systems, web-based access to data, best practices data, and lessons-learned systems [Becerra-Fernandez et al., 2004].

The literature review identified eighteen categories of technology and methods for sharing knowledge in the clinical domain. The research area receiving the most attention in recent years is in web-based sharing tools. Examples include a knowledge exchange [Buchan and Hanka, 1997], an Internet-based knowledge source integration tool [Fuller et al., 1999], a knowledge-sharing and retrieval tool [Hersh, 1999] and web-based patient education tools [Lee et al., 2007; Smith et al., 2002]. Martens and Zapf [1993] developed a web-based referral system for knowledge sharing between physicians and patients, while Bichindaritz et al. [1998] used the WWW to create a clinical knowledge support system. Other examples include a web-based guide for librarian/clinician knowledge exchange [Rader and Gagnon, 2000], collaboration through virtual settings [Paul, 2006], and research examining knowledge source relevance and clinician search habits [Pluye et al., 2007a; Pluye et al., 2007b]. Table 6 summarizes the eighteen knowledge-sharing technologies and methods and corresponding article count for each category.

Table 6; Distribution of Knowledge Sharing Technologies and Methods

Technology/Method	Number of Articles
Web-based sharing tools	17
Knowledge exchange	4
Representation formats—GLIF etc.	4
Clinical guidelines/EBM	3
Mobile tools—PDAs, etc.	2
Ontologies	2
Database	2
KBS	2
Bayesian Network	1
Video Games	1
Intelligent System	1
System design methodology	1
Ethical decision making framework	1
Digital Library	1
Groupware	1
Semantic Modeling	1
Sharing Evaluation Tool	1
Time-based Collaboration Tool	1

A variety of other technologies support knowledge sharing in the clinical environment. Mobile technologies such as PDAs are increasingly being used to share knowledge [Brock and Smith, 2007; Buchauer et al., 1998] and support nurse decision-making [O'Neill et al., 2004; O'Neill et al., 2006]. Other research has focused on the use of ontologies [Falasconi et al., 1998; Liu et al., 2008], intelligent systems [Buchanan et al., 1995], as well as a variety of knowledge representation formalisms for knowledge sharing [Boxwala et al., 2001; Choi et al., 2005; Giorgi et al., 2001; Grutter and Fierz, 1999].

Similar to many of the technologies used for the other KM processes, knowledge sharing takes advantage of advances in the application of Bayesian networks [Lehmann and Shachter, 1994], knowledge-based systems [Balas et al., 1996; Hulse et al., 2008], semantic modeling [Barb et al., 2005], and temporal-based methods [Guyet et al., 2007]. Clinical informatics knowledge exchange has been the subject of some research. These exchanges, frequently referred to as clinical consult services, mediate the sharing of knowledge between medical librarians and clinicians and have proved effective for integrating knowledge into patient care [Jerome et al., 2001; Mulvaney et al., 2008; Viceconti et al., 1993].

Digital medical libraries can support knowledge sharing, as noted by Mendonca et al. [2001]. Groupware applications which facilitate the exchange of knowledge and discussion of radiology images [Sakellaropoulos et al., 2003], are less common than expected. One system was noted to facilitate knowledge sharing with respect to ethical decision-making in the clinical setting [Frize et al., 2005]. Knowledge sharing is also enabled through the formulation of clinical guidelines, which are, in essence, models of the patient care process. As an instantiation of evidence-based medical practice, they can serve to facilitate knowledge sharing [Sandars and Heller, 2006; Stefanelli, 2001; Vissers et al., 1996].

Knowledge Sharing: Research Issues

Compared to The KM processes of knowledge storage/retrieval and application, little research has been focused on knowledge sharing systems and technologies. Of the sharing systems research identified, considerable effort has been directed at the Internet, or WWW, as well as knowledge representation formats for sharable guidelines. Interestingly, little research to date has focused on the use of mobile technologies, such as handheld computers and PDAs. These technologies have the potential to enhance knowledge sharing, but are often dependent on clinical information systems such as electronic health records, which only recently have seen adoption and use numbers rise.

Another trend identified from the literature review is the lack of association of knowledge sharing research with the clinical processes of diagnosis, treatment, monitoring, and prognosis. Only four out of forty-eight knowledge sharing references could be identified with a particular clinical process. As a matter of relevance, future research should attempt to address the challenges of knowledge sharing within the context of these processes.

Finally, it is interesting to note that only one article dealt with the technology of groupware and group decision support. Collaborative technologies have the potential to facilitate the sharing of explicit and tacit knowledge, and future research should explore ways to make these technologies more abundant in the clinical setting.

Knowledge Application

Knowledge application systems focus on supporting the KM application process through utilization of preexisting knowledge by clinicians requiring minimal efforts in acquiring or learning that knowledge. Preexisting knowledge may be integrated into clinical processes using the mechanisms of direction and routine (Grant, 1996). A total of 135 articles were found relevant to knowledge application. Technologies such as expert systems (often referred to as knowledge-based systems or rule-based systems), decision support systems, and CBR systems are illustrative of *direction* support, where the goal is to guide decisions and actions by utilizing embedded expert knowledge rather than transfer of knowledge. Similarly, technologies such as expert systems, workflow systems, and clinical guideline-based systems are illustrative of *routines* support, where the goal is to utilize knowledge embedded in procedures, rules, scripts, and norms to guide future behavior.

In the following subsections, KMS supporting the knowledge application process are highlighted with respect to different clinical processes including diagnosis, treatment, and monitoring. Within each clinical process, discussion is structured-based so as to illustrate key application areas for KMS in clinical applications, while highlighting emerging themes and gaps in the literature. Readers are referred to Figure 3 for the distribution of articles in this category.




Figure 3. Distribution of Articles in Knowledge Application Category

Knowledge Application: Diagnosis

Diagnosis is a complex clinical process involving the synthesis of vast amounts of biomedical knowledge with clinical knowledge. The goal of knowledge application systems is to assist clinicians in making diagnostic decisions [Hasman et al., 2003]. Several studies have reported on developing knowledge application systems where clinicians' knowledge is embedded in the system to support different use cases occurring in clinical diagnosis processes.

Expert systems, founded on rule-based reasoning mechanisms are noted to be the most widely used technology for this purpose. A common application of expert systems is in utilizing knowledge about patients' symptoms and related data, in conjunction with a clinical knowledge base, to formulate an accurate diagnosis [Pesonen et al., 1994; Vingtoft et al., 1994; Wolfram, 1995; Zhao et al., 1994]. Another typical use case of expert systems is supporting accurate interpretation of test results. Several studies report on developing expert systems for integrating results from clinical tests or signal analysis tools with qualitative knowledge of physicians [Boufriche-Boufaida, 1998; Garibaldi et al., 1999; Garibaldi et al., 1997; Mishra and Dandapat, 1993]. Yet another common use case for expert systems is image segmentation for better diagnosis, for example, X-ray image analysis in orthodontic cases [Davis and Forsyth, 1994], and radiograph image analysis in pediatric cases [Oliveira et al., 2008].

In areas where medical knowledge is often imprecise and uncertain, fuzzy logic and Bayesian networks are candidate technologies serving as reasoning mechanisms in expert systems. Fuzzy expert systems based on fuzzy sets and relations have been developed by some researchers [Fathitorbaghan and Meyer, 1994; Georgopoulos et al., 2003]. Similarly, researchers have proposed Bayesian belief network-based expert systems, for example, in interpreting test results from echocardiography [Diez et al., 1997], and in diagnosing lower back pain [Lin et al., 2006].

Clinical decision support systems (CDSS) supporting diagnosis processes are a related suite of technologies, which are often referred to as *medical diagnostic decision support (MDDS) systems* [Peleg and Tu, 2006; Wigertz, 1995]. They vary greatly in the nature of decision support offered, biomedical context, knowledge sources, information transfer, and impact [Berlin et al., 2006]. Knowledge-driven CDSS, a class of decision support technologies similar to expert systems incorporating a rule-based component, have been developed by several researchers [Coulson et al., 2001; Economou et al., 2001; Kahn, 1993; Nguyen et al., 2000; Wyatt, 1997]. Model-driven CDSS, another class of decision-support technologies, incorporates models for generating decisions based on relevant clinical knowledge parameters and patient data. For example, model-driven MDSS systems have been developed for applications, such as diagnosing brain disorders [Siregar and Toulouse, 1995], diagnosing pneumonia in the intensive-care unit [Lucas et al., 2000], and extracting cardiac imaging structures [Pfeifer et al., 2006]. In recent years, with the advancement of distributed technologies, web-based knowledge application systems have emerged for supporting clinical diagnostic processes [Eich and Ohmann, 2000; Ekdahl et al., 2000; Seka et al., 1997].

Evaluation is key in understanding if the implemented knowledge application system is indeed functioning as an effective aid in the diagnosis process, and if so, how effective and useful it is. In that regard, researchers have reported on extensive field studies, which involve comparing the diagnoses provided by the KMS to those suggested by clinicians [Berner and Maisiak, 1999; Berner et al., 1999; Bonis et al., 2008; Boonfalleur et al., 1995; Bruning et al., 1997; Edwards et al., 1995; Hu et al., 2006; Innis, 1997; Korpinen et al., 1994; Kotzke and Pretschner, 1992; Leitich et al., 2001; Lejbkovicz et al., 2002; Martin, 2001; Moens, 1992; Moens et al., 1992; Molino et al., 2000; Ridderikhoff and vanHerk, 1997]. Overall, these results indicate that KMS certainly enhances the clinical practitioners' diagnostic capability, resulting in an improved overall diagnostic accuracy. Alternative knowledge reasoning algorithms have been compared to determine which technology suits better for the diagnosis problem under consideration. Researchers have reported on such experimental studies, emphasizing the context-specific nature of problems and value in conducting such studies [Krusinska et al., 1993; Molino et al., 1996; Todd and Stamper, 1994].

A complex relationship has been noted to exist between clinicians' confidence in system-provided diagnoses and correctness of the diagnoses, which can play a crucial role in acceptance of such KMS [Westbrook et al., 2005]. Interfacing diagnosis support KMS with hospital information systems can avoid manual data entry, thus improving physician acceptance as well as productivity [Borst et al., 1999; Brigl et al., 1998; Buscher et al., 2002; Ivandic et al., 2000; Wong et al., 1994].

Knowledge Application: Treatment

Following diagnosis, prescribing specific therapy advice based on clinical guidelines is the main goal of clinical treatment processes and need to be supported through knowledge application systems. Expert systems or knowledge-driven CDSS, similar to diagnosis processes, are seen to be the most prevalent type of technologies used for therapy planning and configuration [Burkle et al., 1997; Heermann and Thompson, 1997; Im and Chee,

2003; Marin et al., 1993; Muller et al., 1997]. They are used for test selection, for example, to administer nuclear medicines [Houston and Tindale, 1996]. While rule-based reasoning is primarily used, other techniques, such as constraint satisfaction [Smith et al., 1998] and fuzzy logic [Greenhow et al., 1992], have been used in a few cases for prescribing and planning drug therapy. An integrated approach combining different reasoning mechanisms, such as rule-based, heuristic, and algorithmic techniques, has been proposed for therapy planning in certain complex domains, such as renal dialysis [Raghavan et al., 2005]. In spite of much research on therapeutic planning, development of knowledge application systems for predicting treatment outcomes, or, in other words, prognosis, is minimal [Frize et al., 1998].

Patient management during treatment processes includes not only providing recommendations on preferred interventions, i.e., therapy planning, but enabling critical analysis of interventions instituted, generating reminder alerts on questionable data, and investigating any potential drug interactions. Some knowledge application systems with such a patient management focus during treatment processes have been reported [Leaning et al., 1992; Sonnenberg et al., 1994]. Web-based [Riva et al., 1998] and mobile [Buchauer et al., 1998] knowledge application systems are being developed to harness the advances in distributed and mobile computing and promote effective collaboration among clinicians. Tele-consultation systems, which build on distributed computing infrastructures, also require therapy planning and monitoring support, such as in diabetic patient management [Montani et al., 1999].

Clinical practice guidelines are used to model the current state of knowledge in a given biomedical domain and describe how to apply that knowledge for the desired clinical outcome. Several knowledge application systems focus on implementing computerized therapeutic guidelines to make them accessible to clinicians during the treatment process and provide a shared best practice knowledge base for disease management [Bouaud et al., 1998; Gordon et al., 1994]. Moreover, integration of computerized clinical protocol support systems with electronic patient records systems is important to ensure seamless flow of information and improved disease management [Ball et al., 2003; Musen et al., 1996; van Oosterhout et al., 2005]. In spite of numerous computerized implementations of clinical practice guidelines [Wang et al., 2004], there is still little evidence of physicians compliance to formal standards [Caironi et al., 1997; Seroussi et al., 2001; Sward et al., 2008]. Some systems have been developed to analyze the utilization and adherence to clinical guidelines for clinical performance improvements [Balas et al., 1996].

Patient care workflow management systems (sometimes referred to as careflow systems), based on clinical guidelines, have been developed to span across the clinical processes of diagnosis, treatment, and monitoring, in order to provide an integrated system for managing different clinical activities, knowledge, and resources [Dang et al., 2008; Dazzi et al., 1997; Quaglini et al., 2000; Quaglini et al., 2001]. Given the knowledge-intensive and specialized nature of most clinical processes, special attention should be given to exception management occurring in normal flow of activities [Panzarasa et al., 2002].

Evaluation studies have focused on comparing system-generated therapy plans with physician-generated therapy plans, such as parenteral nutrition plans [Horn et al., 2002], ventilator therapy [Miksch et al., 1996; Shahsavari et al., 1995], and many others [Lau, 1994; Vollebregt et al., 1999]. Reduced errors and omissions in resultant plans generated with KMS indicates promise in providing improved patient care. However, in some cases CDSS implementations have shown to introduce errors [Coiera et al., 2006]. Other studies have examined the impact of computerized guidelines and decision support on decision quality, reporting positive results on average [Hanzlicek et al., 2005; Hozo and Djulbegovic, 1999; Sintchenko et al., 2004; Zielstorff et al., 1997]. Other patient-oriented evaluation metrics have been used to measure the impact of using KMS applications in the therapeutic process, for example, readability and cultural sensitivity of decision tools [Thomson and Hoffman-Goetz, 2007], improved patient choice [Holmes-Rovner and Rovner, 2000], reduced decisional conflict in patients [Col et al., 2007; Protheroe et al., 2007]. It has been suggested that use of key performance indicators can be advantageous in understanding the impact of KMS on clinical processes [Berler et al., 2005].

In spite of extensive development and evaluation efforts [Ruland and Bakken, 2002], acceptance and adoption of KMS systems by clinical practitioners is seen as a major challenge [Bates et al., 2003; Teich et al., 2005]. Taking a "socio-technical" approach to development and implementation of KMS, incorporating continual organizational inputs and endorsements have resulted in success stories [Goldstein et al., 2004; Sjoborg et al., 2007; Timpka and Johansson, 1994]. Cognitive task analysis has been used for enhancing integration of technology into the clinical work environment [Baxter et al., 2005].

Knowledge Application: Monitoring

Knowledge application systems for monitoring treatment plans have been proposed by researchers, particularly for high dependency environments such as intensive care units, neonatal units, operating and recovery rooms [Bowes et al., 1991; Taboada et al., 1997]. Ventilator therapy support in intensive care monitoring is a typical application use case [Seroussi et al., 1995; Summers et al., 1993]. Most of these KMS follow a rule-based approach and can be

considered as applications of expert systems. However, there are some developments in using other knowledge reasoning mechanisms such as case-based reasoning for monitoring purposes [Bichindaritz et al., 1998].

Clinical alerts and reminder systems are a key component of many monitoring systems and have seen application of fuzzy logic reasoning techniques [Becker et al., 1997] and rule-based techniques [Ludemann, 1994; Lussier et al., 2007]. Patient data encoded with EMR can be used to automatically detect adverse clinical events, thus enhancing disease surveillance [Hazlehurst et al., 2005]. Task scheduling and communication management systems have been successfully used in telemedicine settings, particularly in critical care units [Vazquez et al., 2007]. While clinical alert and reminder management systems provide useful information, they bring with them possibility of information overload. Some studies have indicated mixed opinions with safety issues on one hand, and performance issues on the other hand [van der Slis et al., 2008].

Evaluation studies for KMS in monitoring processes mainly deal with measuring the ability of the system to ensure successful implementation of care plans and adaptation to the patient's post-treatment needs. Evaluation has shown promising results in cases including ventilation therapy support systems [Bottino et al., 1997; Dojat et al., 1992; Dojat et al., 1997; Kwok et al., 2004], clinical alert systems [Koski et al., 1994; Sukuvaara et al., 1993], monitoring potential drug interactions [Gronroos et al., 1997], and others [Fan et al., 2004; Urschitz et al., 1998]. Simulation test methodology has been useful for testing rare and complex cases [Larsson et al., 1997].

Knowledge Application: Research Issues

Rule-based approach is the most prominent knowledge reasoning technique used at the core of most clinical knowledge application systems. Model-based reasoning, case-based reasoning, constraint satisfaction, and fuzzy logic have been used in some application systems, although sparingly. Notably, applications of other reasoning techniques such as diagrammatic reasoning, and variants of CBR including analogy-based reasoning and exemplar-based reasoning are lacking. Approaches that go beyond the traditional rule-based reasoning techniques need to be further explored to solve complex diagnosis, treatment, and monitoring problems. Most knowledge application systems are based on knowledge elicited from experts. While there is literature that discusses knowledge creation systems based on data mining techniques, there is significant scope for applying similar techniques for knowledge application as well [Horn, 2001].

There is an abundance of literature that discusses knowledge application systems that are designed for use by clinicians. However, there is a need for developing patient-centered knowledge application systems that can help patients in decision making related to their treatments [Haux, 2002, 2006; Haux et al., 2002; Scott and Lenert, 1998]. Another area of research with potential for further research is patient care workflow management systems. Patient care workflow management systems have been developed in integration with clinical practice guidelines. However, one of the main limitations noted for such systems is limited flexibility and adaptation capabilities to respond to changing patient care needs. Advances in dynamic workflow systems need to be leveraged to overcome these limitations and provide the much needed flexibility in handling normal as well as exceptional occurrence of events.

There is minimal literature on knowledge application systems for clinical prognosis. Estimating treatment outcomes can lead to better response readiness, in turn leading to better patient care. This is a key issue that seeks attention. Even in the case of clinical processes of treatment, diagnosis and monitoring, knowledge application systems have focused on clinical settings such as primary care, hospitals, and intensive care units, there is a noticeable dearth of systems geared for medical emergency response. Information systems research developments focused on crisis and emergency management systems may be applied to filling this research gap.

V. CONCLUSION

This paper reviewed high quality medical/health informatics and information systems literature in an attempt to evaluate the current state of knowledge management systems diffusion and research in the clinical setting. The review identified 372 articles pertaining to clinical knowledge management systems, technologies, and methods capable of supporting the four key clinical processes of diagnosis, treatment, monitoring and prognosis. Such support is accomplished through the use of IT-enabled approaches to the management of knowledge creation, storage and retrieval, sharing, and application. With respect to potential research gaps, the paper highlights several important matters regarding CKMS as follows:

Knowledge creation: Research on knowledge creation systems has focused primarily on the processes of diagnosis and treatment, leaving substantial room for further work on creating knowledge for better clinical monitoring and prognosis. Another area study is the creation of new tacit knowledge. In healthcare, the challenge is that tacit knowledge is often held closely to the individual for a variety of complex social and organizational reasons. The IS perspective can be of tremendous value here.



Knowledge retrieval: The review also highlights the need for greater focus on knowledge retrieval mechanisms in the clinical setting. There is a need for research on advanced search techniques for executing complex clinical queries on knowledge repositories. Further work is needed with respect to the information needs and search behavior of clinicians. Certainly IS research on mobile computing and distributed systems can inform this challenge.

Knowledge sharing: With regard to knowledge sharing, research is needed that situates knowledge sharing technologies and mechanisms in the context of the clinical processes. Other opportunities for IS researchers exist in the development of collaboration technologies that enable the sharing of both tacit and explicit knowledge in the clinical setting.

Knowledge application: Finally, for knowledge application, technologies and methods that extend the traditional rule-based reasoning techniques need to be further studied. Specific areas of research include patient centered decision support systems and knowledge application systems for clinical prognosis. Knowledge application research for advanced clinical workflow and emergency/crisis management are also needed.

Overall, the research presented here provides an awareness of past and present CKMS research and makes it possible to identify gaps in our knowledge of such systems. This is important because it enables researchers to move toward new research frontiers in CKMS. Moreover, the study has shown that there is limited CKM research published in IS journals. We suggest that despite the availability of specialized avenues for clinical and healthcare oriented KMS research, IS researchers and journals have an important role to play in future CKMS research. Information systems can make a significant contribution to knowledge in this field. The experience and knowledge accumulated in the traditionally technology and business-focused IS discipline has the potential to inform and direct the growing medical informatics field. IS researchers can contribute to the diversity of traditional IS literature by actively seeking to publish high-quality medical/health IS research in traditional outlets. Journals and other publications typically reserved for traditional IS research can also play a significant role through the development of appropriate outlets for such study.

It is important to point out that given that the goal of the paper is to highlight the important research developments and opportunities for IS researchers, a comprehensive review of all pertinent issues is attempted only within the scope outlined in the methodology section. Specifically, our review of the literature is limited to a set of journals identified by Wilson and Lankton [2004] as described in the methodology section.

Knowledge management systems support the KM processes of knowledge creation, storage/retrieval, transfer and application thereby supporting the clinical processes of diagnosis, treatment, monitoring and prognosis. This is accomplished through a variety of technologies, systems and methods as outlined in the sections above. Given the advancements in medical and biological knowledge along with the burden of managing such a vast and complex array of clinical knowledge, their value as clinical tools are essential to the practice of medicine and clinical care.

REFERENCES

Editor's Note: The following reference list contains hyperlinks to World Wide Web pages. Readers who have the ability to access the Web directly from their word processor or are reading the paper on the Web, can gain direct access to these linked references. Readers are warned, however, that:

1. These links existed as of the date of publication but are not guaranteed to be working thereafter.
2. The contents of Web pages may change over time. Where version information is provided in the References, different versions may not contain the information or the conclusions referenced.
3. The author(s) of the Web pages, not AIS, is (are) responsible for the accuracy of their content.
4. The author(s) of this article, not AIS, is (are) responsible for the accuracy of the URL and version information.

Alavi, M., and D.E. Leidner (2001) "Review: Knowledge Management and Knowledge Management Systems: Conceptual Foundations and Research Issues", *MIS Quarterly* (25)1, pp. 107–136.

Babic, A., et al. (1998) "Assessing an AI Knowledge-base for Asymptomatic Liver Diseases", *Journal of the American Medical Informatics Association*, pp. 513–517.

Badawi, A.M., A.S. Derbala, and A.B.M. Youssef (1999) "Fuzzy Logic Algorithm for Quantitative Tissue Characterization of Diffuse Liver Diseases from Ultrasound Images", *International Journal of Medical Informatics* (55)2, pp. 135–147.

- Balas, E.A., et al. (1996) "An Expert System for Performance-based Direct Delivery of Published Clinical Evidence", *Journal of the American Medical Informatics Association* (3)1, pp. 56–65.
- Ball, M.J., C. Weaver, and P.A. Abbott (2003) "Enabling Technologies Promise to Revitalize the Role of Nursing in an Era of Patient Safety", *International Journal of Medical Informatics* (69)1, pp. 29–38.
- Barahona, P., et al. (1995) "Deep Medical Knowledge to Design Clinical Guidelines", *Computer Methods and Programs in Biomedicine* (48)1–2, pp. 27–34.
- Barb, A.S., C.R. Shyu, and Y.P. Sethi (2005) "Knowledge Representation and Sharing Using Visual Semantic Modeling for Diagnostic Medical Image Databases", *IEEE Transactions on Information Technology in Biomedicine* (9)4, pp. 538–553.
- Barreiro, A., et al. (1993) "A Modular Knowledge-base for the Follow-up of Clinical Protocols", *Methods of Information in Medicine* (32)5, pp. 373–381.
- Bates, D.W., et al. (2003) "Ten Commandments for Effective Clinical Decision Support: Making the Practice of Evidence-based Medicine a Reality", *Journal of the American Medical Informatics Association* (10)6, pp. 523–530.
- Baxt, W.G. (1994) "A Neural-network Trained to Identify the Presence of Myocardial-infarction Bases Some Decisions on Clinical Associations That Differ from Accepted Clinical Teaching", *Medical Decision Making* (14)3, pp. 217–222.
- Baxter, G.D., et al. (2005) "Using Cognitive Task Analysis, to Facilitate the Integration of Decision Support Systems into the Neonatal Intensive Care Unit", *Artificial Intelligence in Medicine* (35)3, pp. 243–257.
- Becerra-Fernandez, I., A. Gonzalez, and R. Sabherwal (2004) *Knowledge Management: Challenges, Solutions, and Technologies*, Englewood Cliffs, NJ: Prentice Hall.
- Becker, K., et al. (1997) "Design and Validation of an Intelligent Patient Monitoring and Alarm System Based on a Fuzzy Logic Process Model", *Artificial Intelligence in Medicine* (11)1, pp. 33–53.
- Bellazzi, R., et al. (1998) "Mining Biomedical Time Series by Combining Structural Analysis and Temporal Abstractions", *Journal of the American Medical Informatics Association*, pp. 160–164.
- Bellazzi, R., et al. (2000) "Intelligent Analysis of Clinical Time Series: An Application in the Diabetes Mellitus Domain", *Artificial Intelligence in Medicine* (20)1, pp. 37–57.
- Berler, A., S. Pavlopoulos, and D. Koutsouris (2005) "Using Key Performance Indicators as Knowledge-management Tools at a Regional Health-care Authority Level", *IEEE Transactions on Information Technology in Biomedicine* (9)2, pp. 184–192.
- Berlin, A., M. Sorani, and I. Sim (2006) "A Taxonomic Description of Computer-based Clinical Decision Support Systems", *Journal of Biomedical Informatics* (39)6, pp. 656–667.
- Berner, E.S. and R.S. Maisiak (1999) "Influence of Case and Physician Characteristics on Perceptions of Decision Support Systems", *Journal of the American Medical Informatics Association* (6)5, pp. 428–434.
- Berner, E.S., et al. (1999) "Effects of a Decision Support System on Physicians' Diagnostic Performance", *Journal of the American Medical Informatics Association* (6)5, pp. 420–427.
- Bichindaritz, I., et al. (1998) "CARE-PARTNER: A Computerized Knowledge-support System for Stem-cell Post-transplant Long-term Follow-up on the World-Wide-Web", *Journal of the American Medical Informatics Association*, pp. 386–390.
- Bidgood, W.D. (1998) "The SNOMED DICOM Microglossary: Controlled Terminology Resource for Data Interchange in Biomedical Imaging", *Methods of Information in Medicine* (37)4–5, pp. 404–414.
- Bielza, C., J.A.F. del Pozo, and P.J.F. Lucas (2008) "Explaining Clinical Decisions by Extracting Regularity Patterns", *Decision Support Systems* (44)2, pp. 397–408.
- Blazadonakis, M., V. Moustakis, and G. Charissis (1996) "Deep Assessment of Machine Learning Techniques Using Patient Treatment in Acute Abdominal Pain in Children", *Artificial Intelligence in Medicine* (8)6, pp. 527–542.
- Bodenreider, O., et al. (1998) "Evaluation of the Unified Medical Language System as a Medical Knowledge Source", *Journal of the American Medical Informatics Association* (5)1, pp. 76–87.
- Bohren, B.F., M. Hadzikadic, and E.N. Hanley (1995) "Extracting Knowledge from Large Medical Databases—An Automated Approach", *Computers and Biomedical Research* (28)3, pp. 191–210.
- Bonis, P.A., et al. (2008) "Association of a Clinical Knowledge Support System with Improved Patient Safety, Reduced Complications and Shorter Length of Stay Among Medicare Beneficiaries in Acute Care Hospitals in the United States", *International Journal of Medical Informatics* (77) 11, pp. 745–753.

- Boonfalleur, L., et al. (1995) "Utilization of Laboratory Resources: Developments in Knowledge-based Ordering Systems", *International Journal of Bio-Medical Computing* (40)1, pp. 17–30.
- Borst, F., et al. (1999) "Happy Birthday DIOGENE: A Hospital Information System Born 20 Years Ago", *International Journal of Medical Informatics* (54)3, pp. 157–167.
- Bose, R. (2003) "Knowledge Management-enabled Health Care Management Systems: Capabilities, Infrastructure and Decision Support", *Expert Systems with Applications* (24)1, pp. 59–71.
- Bottino, D.A., et al. (1997) "Decision Support System to Assist Mechanical Ventilation in the Adult Respiratory Distress Syndrome", *International Journal of Clinical Monitoring and Computing* (14)2, pp. 73–81.
- Bouaud, J., et al. (1998) "Hypertextual Navigation Operationalizing Generic Clinical Practice Guidelines for Patient-specific Therapeutic Decisions", *Journal of the American Medical Informatics Association*, pp. 488–492.
- Boufriche-Boufaida, Z. (1998) "Automatic Interpretation of Biological Tests", *Computers in Biology and Medicine* (28)2, pp. 183–192.
- Boulos, M.N.K., A.V. Roudsari, and E.R. Carson (2002) "A Dynamic Problem to Knowledge Linking Semantic Web Service Based on Clinical Codes", *Medical Informatics and the Internet in Medicine* (27)3, pp. 127–137.
- Bowes, C.L., et al. (1991) "INFORM: Development of Information Management and Decision Support Systems for High Dependency Environments", *International Journal of Clinical Monitoring and Computing* (8)4, pp. 295–301.
- Boxwala, A.A., et al. (2001) "Toward a Representation Format for Sharable Clinical Guidelines", *Journal of Biomedical Informatics* (34)3, pp. 157–169.
- Boxwala, A.A., et al. (2004) "GLIF3: A Representation Format for Sharable Computer-interpretable Clinical Practice Guidelines", *Journal of Biomedical Informatics* (37)3, pp. 147–161.
- Boyle, J., et al. (1997) "Exploring Novel Chemotherapy Treatments Using the WWW", *International Journal of Medical Informatics* (47)1–2, pp. 107–114.
- Braaten, O. (1996) "Artificial Intelligence in Pediatrics: Important Clinical Signs in Newborn Syndromes", *Computers and Biomedical Research* (29)3, pp. 153–161.
- Brai, A., J.F. Vibert, and R. Koutlidis (1994) "An Expert-system for the Analysis and Interpretation of Evoked-potentials Based on Fuzzy Classification—Application to Brain-stem Auditory-evoked Potentials", *Computers and Biomedical Research* (27)5, pp. 351–366.
- Brandt, C.A., et al. (1997) "Visualizing the Logic of a Clinical Guideline: A Case Study in Childhood Immunization", *Methods of Information in Medicine* (36)3, pp. 179–183.
- Bratsas, C., et al. (2007) "KnowBaSICS-M: An Ontology-based System for Semantic Management of Medical Problems and Computerised Algorithmic Solutions", *Computer Methods and Programs in Biomedicine* (88)1, pp. 39–51.
- Brennan, P.F., and A.R. Aronson (2003) "Towards Linking Patients and Clinical Information: Detecting UMLS Concepts in E-mail", *Journal of Biomedical Informatics* (36)4–5, pp. 334–341.
- Brickley, M.R., and J.P. Shepherd (1996) "Performance of a Neural Network Trained to Make Third-molar Treatment-planning Decisions", *Medical Decision Making* (16)2, pp. 153–160.
- Brigl, B., et al. (1998) "An Integrated Approach for a Knowledge-based Clinical Workstation: Architecture and Experience", *Methods of Information in Medicine* (37)1, pp. 16–25.
- Brock, T.P. and S.R. Smith (2007) "Using Digital Videos Displayed on Personal Digital Assistants (PDAs) to Enhance Patient Education in Clinical Settings", *International Journal of Medical Informatics* (76)11–12, pp. 829–835.
- Bruning, J., et al. (1997) "Knowledge-based System ADNEPERT to Assist the Sonographic Diagnosis of Adnexal Tumors", *Methods of Information in Medicine* (36)3, pp. 201–206.
- Buchan, I.E. and R. Hanka (1997) "Exchanging Clinical knowledge via Internet", *International Journal of Medical Informatics* (47)1–2, pp. 39–41.
- Buchanan, B.G., et al. (1995) "An Intelligent Interactive System for Delivering Individualized Information to Patients", *Artificial Intelligence in Medicine* (7)2, pp. 117–154.
- Buchauer, A., R. Werner, and R. Haux (1998) "Cooperative Problem Solving with Personal Mobile Information Tools in Hospitals", *Methods of Information in Medicine* (37)1, pp. 8–15.

- Burkle, T., et al. (1997) "Knowledge Based Functions for Routine Use at a German University Hospital Setting: The Issue of Fine Tuning", *Journal of the American Medical Informatics Association*, pp. 61–65.
- Burkle, T., et al. (1998) "Data Dictionaries at Giessen University Hospital: Past–Present–Future", *Journal of the American Medical Informatics Association*, pp. 875–879.
- Buscher, H.P., et al. (2002) "HepatoConsult: A Knowledge-based Second Opinion and Documentation System", *Artificial Intelligence in Medicine* (24)3, pp. 205–216.
- Caironi, P.V.C., et al. (1997) "HyperCare: A Prototype of an Active Database for Compliance with Essential Hypertension Therapy Guidelines", *Journal of the American Medical Informatics Association*, pp. 288–292.
- Callen, J.L., B. Buyankhishig, and J.H. McIntosh (2008) "Clinical Information Sources Used by Hospital Doctors in Mongolia", *International Journal of Medical Informatics* (77)4, pp. 249–255.
- Carlsson, M., et al. (1996) "Terminology Support for Development of Sharable Knowledge Modules", *Medical Informatics* (21)3, pp. 207–214.
- Catlin, A.C., et al (2006) "National Health Spending in 2005", *Health Affairs* (26)1, pp. 142–153.
- Chakravarty, S., and Y. Shahar (2001) "Acquisition and Analysis of Repeating Patterns in Time-oriented Clinical Data", *Methods of Information in Medicine* (40)5, pp. 410–420.
- Chambrin, M.C., et al. (1995) "Introduction of Knowledge Bases in Patients Data Management-system—Role of the User-interface", *International Journal of Clinical Monitoring and Computing* (12)1, pp. 11–16.
- Chen, E.S., et al. (2008) "Automated Acquisition of Disease-drug Knowledge from Biomedical and Clinical Documents: An Initial Study", *Journal of the American Medical Informatics Association* (15)1, pp. 87–98.
- Chevrolat, J.P., et al. (1998) "Modelling Behavioral Syndromes Using Bayesian Networks", *Artificial Intelligence in Medicine* (14)3, pp. 259–277.
- Chi, C.L., W.N. Street, and M.M. Ward (2008) "Building a Hospital Referral Expert System with a Prediction and Optimization-Based Decision Support System Algorithm", *Journal of Biomedical Informatics* (41)2, pp. 371–386.
- Choi, J., et al. (2005) "Toward Semantic Interoperability in Home Health Care: Formally Representing OASIS Items for Integration into a Concept-oriented Terminology", *Journal of the American Medical Informatics Association* (12)4, pp. 410–417.
- Choi, J., et al. (2006) "Improving the Human Readability of Arden Syntax Medical Logic Modules Using a Concept-oriented Terminology and Object-oriented Programming Expressions", *Cin-Computers Informatics Nursing* (24)4, pp. 220–225.
- Chute, C.G., ANSI (American National Standards Institute) Healthcare Informatics Standards Board Working Group, et al. (1998) "A Framework for Comprehensive Health Terminology Systems in the United States: Development Guidelines, Criteria for Selection, and Public Policy Implications", *Journal of the American Medical Informatics Association* (5)6, pp. 503–510.
- Cimino, J.J., et al. (1994) "Knowledge-based Approaches to the Maintenance of a Large Controlled Medical Terminology", *Journal of the American Medical Informatics Association* (1) 1, pp. 35–50.
- Cimino, J.J. (1998a) "Desiderata for Controlled Medical Vocabularies in the Twenty-first Century", *Methods of Information in Medicine* (37)4–5, pp. 394–403.
- Cimino, J.J. (1998b) "Distributed Cognition and Knowledge-based Controlled Medical Terminologies", *Artificial Intelligence in Medicine* (12)2, pp. 153–168.
- Cimino, J.J. (2001) "Terminology Tools: State of the Art and Practical Lessons", *Methods of Information in Medicine* (40) 4, pp. 298–306.
- Cimino, J.J., G. Elhanan, and Q. Zeng (1997) "Supporting Infobuttons with Terminological Knowledge", *Journal of the American Medical Informatics Association* pp. 528–532.
- Coiera, E., J.I. Westbrook, and J.C. Wyatt (2006) "The Safety and Quality of Decision Support Systems", *Methods of Information in Medicine* (4)5, pp. 20–25.
- Col, N.F., et al. (2007) "Can Computerized Decision Support Help Patients Make Complex Treatment Decisions? A Randomized Controlled Trial of an Individualized Menopause Decision Aid", *Medical Decision Making* (27)5, pp. 585–598.
- Coleman, W.P., et al. (1993) "Computational Logic—A Method for Formal Analysis of the ICU Knowledge-base", *International Journal of Clinical Monitoring and Computing* (10)1, pp. 67–79.

- Colombet, I., et al. (2005) "Electronic Implementation of Guidelines in the EsPeR System: A Knowledge Specification Method", *International Journal of Medical Informatics* (74)7–8, pp. 597–604.
- Combi, C., and L. Chittaro (1999) "Abstraction on Clinical Data Sequences: An Object-oriented Data model and a query language based on the event calculus", *Artificial Intelligence in Medicine* (17)3, pp. 271–301.
- Combi, C., B. Oliboni, and R. Rossato (2005) "Merging Multimedia Presentations and Semistructured Temporal Data: A Graph-based Model and Its Application to Clinical Information", *Artificial Intelligence in Medicine* (34)2, pp. 89–112.
- Combi, C., and Y. Shahar (1997) "Temporal Reasoning and Temporal Data Maintenance in Medicine: Issues and Challenges", *Computers in Biology and Medicine* (27)5, pp. 353–368.
- Coppini, G., et al. (2003) "Neural Networks for Computer-aided Diagnosis: Detection of Lung Nodules in Chest Radiograms", *IEEE Transactions on Information Technology in Biomedicine* (7)4, pp. 344–357.
- Cornalba, C., R.G. Bellazzi, and R. Bellazzi (2008) "Building a Normative Decision Support System for Clinical and Operational Risk Management in Hemodialysis", *IEEE Transactions on Information Technology in Biomedicine* (12)5, pp. 678–686.
- Cornet, R., and A. Abu-Hanna (2005) "Description Logic-based Methods for Auditing Frame-based Medical Terminological Systems", *Artificial Intelligence in Medicine* (34)3, pp. 201–217.
- Coulson, A.S., et al. (2001) "RAGs: A Novel Approach to Computerized Genetic Risk Assessment and Decision Support from Pedigrees", *Methods of Information in Medicine* (40)4, pp. 315–322.
- D'Allesandro, M.P., et al. (2005) "The Virtual Naval Hospital: The Digital Library as Knowledge Management Tool for Nomadic Patrons", *Journal of the Medical Library Association* (93)1, pp. 16–20.
- Dang, J.B., et al. (2008) "An Ontological Knowledge Framework for Adaptive Medical Workflow", *Journal of Biomedical Informatics* (41)5, pp. 829–836.
- Datri, A. (1994) "MILORD—Multimedia Interaction with Large Object-oriented Radiological and Clinical Databases", *Computer Methods and Programs in Biomedicine* (45)1–2, pp. 123–125.
- Davis, D.N. and D. Forsyth (1994) "Knowledge-based Cephalometric Analysis: A Comparison with Clinician Using Interactive Computer Methods", *Computers and Biomedical Research* (27)3, pp. 210–228.
- Dazzi, L., et al. (1997) "A Patient Workflow Management System Built on Guidelines", *Journal of the American Medical Informatics Association*, pp. 146–150.
- de Clercq, P.A., et al. (1999) "A Strategy for Developing Practice Guidelines for the ICU Using Automated Knowledge Acquisition Techniques", *Journal of Clinical Monitoring and Computing* (15)2, pp. 109–117.
- de Clercq, P.A., et al. (2000) "GASTON: An Architecture for the Acquisition and Execution of Clinical Guideline-application Tasks", *Medical Informatics and the Internet in Medicine* (25)4, pp. 247–263.
- de Clercq, P.A., et al. (2001) "The Application of Ontologies and Problem-solving Methods for the Development of Shareable Guidelines", *Artificial Intelligence in Medicine* (22)1, pp. 1–22.
- Delgado, M., et al. (2001) "Mining Association Rules with Improved Semantics in Medical Databases", *Artificial Intelligence in Medicine* (21)1–3, pp. 241–245.
- Dieng-Kuntz, R., et al. (2006) "Building and Using a Medical Ontology for Knowledge Management and Cooperative Work in a Health Care Network", *Computers in Biology and Medicine* (36)7–8, pp. 871–892.
- Diez, F.J., et al. (1997) "DIAVAL, a Bayesian Expert System for Echocardiography", *Artificial Intelligence in Medicine* (10)1, pp. 59–73.
- Dojat, M., et al. (1992) "A Knowledge-based System for Assisted Ventilation of Patients in Intensive-care Units", *International Journal of Clinical Monitoring and Computing* (9)4, pp. 239–250.
- Dojat, M., et al. (1997) "NeoGanesh: A Working System for the Automated Control of Assisted Ventilation in ICUs", *Artificial Intelligence in Medicine* (11)2, pp. 97–117.
- Duftschnid, G., and S. Miksch (2001) "Knowledge-based Verification of Clinical Guidelines by Detection of Anomalies", *Artificial Intelligence in Medicine* (22)1, pp. 23–41.
- Duftschnid, G., S. Miksch, and W. Gall (2002) "Verification of Temporal Scheduling Constraints in Clinical Practice Guidelines", *Artificial Intelligence in Medicine* (25)2, pp. 93–121.
- Dykes, P.C., L.M. Currie, and J.J. Cimino (2003) "Adequacy of Evolving National Standardized Terminologies for Interdisciplinary Coded Concepts in an Automated Clinical Pathway", *Journal of Biomedical Informatics* (36)4–5, pp. 313–325.

- Eccher, C., et al. (2006) "Ontologies Supporting Continuity of Care: The Case of Heart Failure", *Computers in Biology and Medicine* (36)7–8, pp. 789–801.
- Economou, G.P.K., et al. (2001) "A New Concept Toward Computer-aided Medical Diagnosis—A Prototype Implementation Addressing Pulmonary Diseases", *IEEE Transactions on Information Technology in Biomedicine* (5) 1, pp. 55–66.
- Edwards, G., et al. (1995) "Prudent Expert-Systems with Credentials: Managing the Expertise of Decision-support Systems", *International Journal of Bio-Medical Computing* (40)2, pp. 125–132.
- Eich, H.P., and C. Ohmann (2000) "Internet-based Decision-support Server for Acute Abdominal Pain", *Artificial Intelligence in Medicine* (20)1, pp. 23–36.
- Ekdahl, C., et al. (2000) "A Study of the Usage of a Decision-support System for Infective Endocarditis", *Medical Informatics and the Internet in Medicine* (25)1, pp. 1–18.
- Elgamal, S., M. Rafeh, and I. Eissa (1993) "Case-based Reasoning Algorithms Applied in a Medical Acquisition Tool", *Medical Informatics* (18)2, pp. 149–162.
- Elgamal, S.S., and M.M. Esmail (1995) "Understanding Clinical Narrative Text", *Medical Informatics* (20)2, pp. 161–173.
- Elkin, P.L. and S.H. Brown (2002) "Automated Enhancement of Description Logic-defined Terminologies to Facilitate Mapping to ICD9-CM", *Journal of Biomedical Informatics* (35)5–6, pp. 281–288.
- Essex, B., and M. Healy (1994) "Evaluation of a Rule Base for Decision-making in General Practice", *British Journal of General Practice* (44)382, pp. 211–213.
- Falasconi, S., et al. (1998) "Towards Cooperative Patient Management Through Organizational and Medical Ontologies", *Methods of Information in Medicine* (37)4–5, pp. 564–575.
- Falkman, G. (2001) "Information Visualisation in Clinical Odontology: Multidimensional Analysis and Interactive Data Exploration", *Artificial Intelligence in Medicine* (22)2, pp. 133–158.
- Fan, L., et al. (2004) "Real-time Identification and Archiving of Micro-embolic Doppler Signals Using a Knowledge-based DSP System", *Medical & Biological Engineering & Computing* (42)2, pp. 193–200.
- Fathitorbaghan, M., and D. Meyer (1994) "MEDUSA—A Fuzzy Expert-system for Medical Diagnosis of Acute Abdominal-pain", *Methods of Information in Medicine* (33)5, pp. 522–529.
- Ferri, F. (1995) "The Medical Folder as an Active Tool in Defining the Clinical Decision-making Process", *Medical Informatics* (20)2, pp. 97–112.
- Fox, J., et al. (1997) "PROforma: A General Technology for Clinical Decision Support Systems", *Computer Methods and Programs in Biomedicine* (54)1–2, pp. 59–67.
- Friedman, C., et al. (1994) "A General Natural-Language Text Processor for Clinical Radiology", *Journal of the American Medical Informatics Association* (1)2, pp. 161–174.
- Friedman, C., and G. Hripcsak (1999) "Natural Language Processing and Its Future in Medicine", *Academic Medicine* (74)8, pp. 890–895.
- Friedman, C., P. Kra, and A. Rzhetsky (2002) "Two Biomedical Sublanguages: A Description Based on the Theories of Zellig Harris", *Journal of Biomedical Informatics* (35)4, pp. 222–235.
- Frize, M., et al. (1998) "New Advances and Validation of Knowledge Management Tools for Critical Care Using Classifier Techniques", *Journal of the American Medical Informatics Association*, pp. 553–557.
- Frize, M., et al. (2005) "Conceptual Framework of Knowledge Management for Ethical Decision-making Support in Neonatal Intensive Care", *IEEE Transactions on Information Technology in Biomedicine* (9)2, pp. 205–215.
- Fuller, S.S., et al. (1999) "Integrating Knowledge Resources at the Point of Care: Opportunities for Librarians", *Bulletin of the Medical Library Association* (87)4, pp. 393–403.
- Garde, S., et al. (2004) "A Meta-model of Chemotherapy Planning in the Multi-hospital/Multi-trial-center-environment of Oediatric oncology", *Methods of Information in Medicine* (43)2, pp. 171–183.
- Garibaldi, J.M., et al. (1997) "The Development and Implementation of an Expert System for the Analysis of Umbilical Cord Blood", *Artificial Intelligence in Medicine* (10)2, pp. 129–144.
- Garibaldi, J.M., J.A. Westgate, and E.C. Ifeachor (1999) "The Evaluation of an Expert System for the Analysis of Umbilical Cord Blood", *Artificial Intelligence in Medicine* (17)2, pp. 109–130.
- Geissbuhler, A., and R.A. Miller (1998) "Clinical Application of the UMLS in a Computerized Order Entry and Decision-support System", *Journal of the American Medical Informatics Association*, pp. 320–324.

- Georg, G., B. Seroussi, and J. Bouaud (2005) "Extending the GEM Model to Support Knowledge Extraction from Textual Guidelines", *International Journal of Medical Informatics* (74)2–4, pp. 79–87.
- Georgopoulos, V.C., G.A. Malandraki, and C.D. Stylios (2003) "A Fuzzy Cognitive Map Approach to Differential Diagnosis of Specific Language Impairment", *Artificial Intelligence in Medicine* (29)3, pp. 261–278.
- Giorgi, R., et al. (2001) "Elaboration and Formalization of Current Scientific Knowledge of Risks and Preventive Measures Illustrated by Colorectal Cancer", *Methods of Information in Medicine* (40)4, pp. 323–330.
- Goldstein, M.K., et al. (2004) "Translating Research into Practice: Organizational Issues in Implementing Automated Decision Support for Hypertension in Three Medical Centers", *Journal of the American Medical Informatics Association* (11)5, pp. 368–376.
- Gordon, C., A. Jacksonsmale, and R. Thomson (1994) "DILEMMA: Logic Engineering in Primary-care, Shared Care and Oncology", *Computer Methods and Programs in Biomedicine* (45)1–2, pp. 37–39.
- Gortzis, L.G., and G. Nikiforidis (2008) "Tracing and Cataloguing Knowledge in an E-health Cardiology Environment", *Journal of Biomedical Informatics* (41)2, pp. 217–223.
- Grant, R. (1996) "Prospering in Dynamically-competitive Environments: Organizational Capacity as Knowledge Integration", *Organization Science*, pp 375–387
- Green, N. (2005) "A Bayesian Network Coding Scheme for Annotating Biomedical Information Presented to Genetic Counseling Clients", *Journal of Biomedical Informatics* (38)2, pp. 130–144.
- Greenhow, S.G., D.A. Linkens, and A.J. Asbury (1992) "Development of an Expert System Adviser for Anesthetic Control", *Computer Methods and Programs in Biomedicine* (37)3, pp. 215–229.
- Gronroos, P.E., et al. (1997) "Computerized Monitoring of Potentially Interfering Medication in Thyroid Function Diagnostics", *International Journal of Clinical Monitoring and Computing* (14)4, pp. 255–259.
- Grutter, R., and W. Fierz (1999) "An Electronic Study Form to Support Collaborating Agents in the Management of Clinical Knowledge", *Methods of Information in Medicine* (38)3, pp. 154–157.
- Guarnero, A., et al. (1998) "Contextual and Temporal Clinical Guidelines", *Journal of the American Medical Informatics Association*, pp. 683–687.
- Guyet, T., C. Garbay, and M. Dojat (2007) "Knowledge Construction from Time Series Data Using a Collaborative Exploration System", *Journal of Biomedical Informatics* (40)6, pp. 672–687.
- Hales, J.W., C.S. Gadd, and D.F. Lobach (1997) "Development and Use of a Guideline Entry Wizard to Convert Text Clinical Practice Guidelines to a Relational Format", *Journal of the American Medical Informatics Association*, pp. 163–167.
- Hanzlicek, P., et al. (2005) "User Interface of MUDR Electronic Health Record", *International Journal of Medical Informatics* (74)2-4, pp. 221-227.
- Harris, M.R., et al. (2000) "Embedded Structures and Representation of Nursing Knowledge", *Journal of the American Medical Informatics Association* (7)6, pp. 539–549.
- Hasman, A., C. Safran, and H. Takeda (2003) "Quality of Health Care: Informatics Foundations", *Methods of Information in Medicine* (42)5, pp. 509–518.
- Haux, R. (2002) "Health Care in the Information Society: What Should Be the Role of Medical Informatics?" *Methods of Information in Medicine* (41)1, pp. 31–35.
- Haux, R. (2006) "Health Information Systems—Past, Present, Future", *International Journal of Medical Informatics* (75)3–4, pp. 268–281.
- Haux, R., et al. (2002) "Health Care in the Information Society. A Prognosis for the Year 2013", *International Journal of Medical Informatics* (66)1–3, pp. 3–21.
- Haux, R., et al. (1996) "Knowledge Retrieval as One Type of Knowledge-based Decision Support in Medicine: Results of an Evaluation Study", *International Journal of Bio-Medical Computing* (41)2, pp. 69–85.
- Haynes, R.B., et al. (1994) "Performances of 27 Medline Systems Tested by Searches with Clinical Questions", *Journal of the American Medical Informatics Association* (1)3, pp. 285–295.
- Hazlehurst, B., et al. (2005) "MediClass: A System for Detecting and Classifying Encounter-based Clinical Events in Any Electronic Medical Record", *Journal of the American Medical Informatics Association* (12)5, pp. 517–529.
- Heermann, L.K. and C.B. Thompson (1997) "Prototype Expert System to Assist with the Stabilization of Neonates Prior to Transport", *Journal of the American Medical Informatics Association*, pp. 213–217.

- Heindl, B., et al. (2000) "Development of a Knowledge-base for Automatic Monitoring of Renal Function of Intensive Care Patients over Time", *Computer Methods and Programs in Biomedicine* (62)1, pp. 1–10.
- Hersh, W.R., et al. (2002) "Factors Associated with Success in Searching MEDLINE and Applying Evidence to Answer Clinical Questions", *Journal of the American Medical Informatics Association* (9)3, pp. 283–293.
- Hoelzer, S., et al. (2001) "Value of XML in the Implementation of Clinical Practice Guidelines—the Issue of Content Retrieval and Presentation", *Medical Informatics and the Internet in Medicine* (26)2, pp. 131–146.
- Holmes-Rovner, M., and D.R. Rovner (2000) "Measuring Improved Patient Choice", *Journal of Evaluation in Clinical Practice* (6)3, pp. 263–272.
- Horn, W. (2001) "AI in Medicine on Its Way from Knowledge-intensive to Data-intensive Systems", *Artificial Intelligence in Medicine* (23)1, pp. 5–12.
- Horn, W., et al. (2002) "Development and Evaluation of VIE-PNN, a Knowledge-based System for Calculating the Parenteral Nutrition of Newborn Infants", *Artificial Intelligence in Medicine* (24)3, pp. 217–228.
- Hothorn, T., and B. Lausen (2003) "Bagging Tree Classifiers for Laser Scanning Images: A Data—and Simulation-based Strategy", *Artificial Intelligence in Medicine* (27)1, pp. 65–79.
- Houston, A.S., and W.B. Tindale (1996) "Computer Aided Test Selection (CATS) for Nuclear Medicine—A Prototype System for Renal Investigations", *Medical Informatics* (21)2, pp. 147–153.
- Hozo, I., and B. Djulbegovic (1999) "Using the Internet to Calculate Clinical Action Thresholds", *Computers and Biomedical Research* (32)2, pp. 168–185.
- Hripcsak, G. (1994) "Writing Arden-syntax Medical Logic Modules", *Computers in Biology and Medicine* (24)5, pp. 331–363.
- Hu, P.J.H., C.P. Wei, and O.R.L. Sheng (2006) "Evaluating a Decision Support System for Patient Image Pre-fetching: An Experimental Study", *Decision Support Systems* (42)3, pp. 1730–1746.
- Hulse, N.C., et al. (2008) "Towards an On-demand Peer Feedback System for a Clinical Knowledge Base: A Case Study with Order Sets", *Journal of Biomedical Informatics* (41)1, pp. 152–164.
- Hulse, N.C., G. Del Fiol, and R.A. Rocha (2006) "Modeling End-users' Acceptance of a Knowledge Authoring Tool", *Methods of Information in Medicine* (45)5, pp. 528–535.
- Hulse, N. C., et al. (2005) "KAT: A Flexible XML-based Knowledge Authoring Environment", *Journal of the American Medical Informatics Association* (12)4, pp. 418–430.
- Hung, P. W., et al. (2008) "A Multi-level Model of Information Seeking in the Clinical Domain", *Journal of Biomedical Informatics* (41)2, pp. 357–370.
- Im, E.O., and W. Chee (2003) "Decision Support Computer Program for Cancer Pain Management", *Cin-Computers Informatics Nursing* (21)1, pp. 12–21.
- Innis, M.D. (1997) "Clinical Problem Solving—the Role of Expert Laboratory Systems", *Medical Informatics* (22)3, pp. 251–261.
- IOM. (2001) *Crossing the Quality Chasm: A New Health System for the 21st Century*, Institute of Medicine.
- Ivancic, M., et al. (2000) "From a Urinalysis Strategy to an Evaluated Urine Protein Expert System", *Methods of Information in Medicine* (39)1, pp. 93–98.
- Jenders, R.A., et al. (1998) "Evolution of a Knowledge Base for a Clinical Decision Support System Encoded in the Arden Syntax", *Journal of the American Medical Informatics Association*, pp. 558–562.
- Jenders, R.A., et al. (1997) "Towards Improved Knowledge Sharing: Assessment of the HL7 Reference Information Model to support Medical Logic Module queries", *Journal of the American Medical Informatics Association*, pp. 308–312.
- Jenders, R.A., M. Morgan, and G.O. Barnett (1994) "Use of Open Standards to Implement Health Maintenance Guidelines in a Clinical Workstation", *Computers in Biology and Medicine* (24)5, pp. 385–390.
- Jerome, R.N., et al. (2001) "Information Needs of Clinical Teams: Analysis of Questions Received by the Clinical Informatics Consult Service", *Bulletin of the Medical Library Association* (89)2, pp. 177–184.
- Jiang, G.Q., et al. (2003) "Context-based Ontology Building Support in Clinical Domains Using Format Concept Analysis", *International Journal of Medical Informatics* (71)1, pp. 71–81.
- Jones, R.W., M.J. Harrison, and A. Lowe (2001) "Computerised Anaesthesia Monitoring Using Fuzzy Trend Templates", *Artificial Intelligence in Medicine* (21)1–3, pp. 247–251.

- Jurisica, I., et al. (1998) "Case-based Reasoning in IVF: Prediction and Knowledge Mining", *Artificial Intelligence in Medicine* (12)1, pp. 1–24.
- Kahn, C.E. (1993) "Graphical Knowledge Presentation in a Mumps-based Decision-support System", *Computer Methods and Programs in Biomedicine* (40)3, pp. 159–166.
- Kalogeropoulos, D.A., E.R. Carson, and P.O. Collinson (2003) "Towards Knowledge-based Systems in Clinical Practice: Development of an Integrated Clinical Information and Knowledge Management Support System", *Computer Methods and Programs in Biomedicine* (72)1, pp. 65–80.
- Khan, A.S., and A. Hoffmann (2003) "Building a Case-based Diet Recommendation System Without a Knowledge Engineer", *Artificial Intelligence in Medicine* (27)2, pp. 155–179.
- Kim, D.K., et al. (1998) "MYCIN II: Design and Implementation of a Therapy Reference with Complex Content-based Indexing", *Journal of the American Medical Informatics Association*, pp. 175–179.
- Kindler, H., D. Densow, and T.M. Flidner (1998) "A Pragmatic Implementation of Medical Temporal Reasoning for Clinical Medicine", *Computers in Biology and Medicine* (28)2, pp. 105–120.
- Korpinen, L., et al. (1994) "Evaluation of Sleep Expert: A Computer-aided Decision-support System for Sleep Disorders", *Medical Informatics* (19)3, pp. 247–252.
- Koski, E.M.J., et al. (1994) "A Knowledge-based Alarm System for Monitoring Cardiac Operated Patients: Assessment of Clinical-performance", *International Journal of Clinical Monitoring and Computing* (11)2, pp. 79–83.
- Kotzke, K., and D.P. Pretschner (1992) "Possibilities of Software Phantoms for Quality-control of KBS in Nuclear-medicine", *Methods of Information in Medicine* (31)2, pp. 126–134.
- Kraus, D., et al. (1993) "Reconstructing Medical Problem-solving Competence—MACCORD", *Methods of Information in Medicine* (32)4, pp. 326–338.
- Krusinska, E., et al. (1993) "A Statistically Rule-based Decision-support System for the Management of Patients with Suspected Liver-disease", *Medical Informatics* (18)2, pp. 113–130.
- Kuhn, R.A., and R.S. Reider (1994) "A C++ Framework for Developing Medical Logic Modules and an Arden-syntax Compiler", *Computers in Biology and Medicine* (24)5, pp. 365–370.
- Kurgan, L.A., et al. (2001) "Knowledge Discovery Approach to Automated Cardiac SPECT Diagnosis", *Artificial Intelligence in Medicine* (23)2, pp. 149–169.
- Kusiak, A., et al. (2006) "Hypoplastic Left Heart Syndrome: Knowledge Discovery with a Data Mining Approach", *Computers in Biology and Medicine* (36)1, pp. 21–40.
- Kusiak, A., B. Dixon, and S. Shah (2005) "Predicting Survival Time for Kidney Dialysis Patients: A Data Mining Approach", *Computers in Biology and Medicine* (35)4, pp. 311–327.
- Kusiak, A., I.H. Law, and M. Dick (2001) "The G-algorithm for Extraction of Robust Decision Rules—Children's Postoperative Intra-atrial Arrhythmia Case Study", *IEEE Transactions on Information Technology in Biomedicine* (5)3, pp. 225–235.
- Kwiatkowska, M., et al. (2007) "Knowledge-based Data Analysis: First Step Toward the Creation of Clinical Prediction Rules Using a New Typicality Measure", *IEEE Transactions on Information Technology in Biomedicine* (11)6, pp. 651–660.
- Kwok, H.F., et al. (2003) "Rule-base Derivation for Intensive Care Ventilator Control Using ANFIS", *Artificial Intelligence in Medicine* (29)3, pp. 185–201.
- Kwok, H.F., et al. (2004) "SIVA: A Hybrid Knowledge-and-Model-based Advisory System for Intensive Care Ventilators", *IEEE Transactions on Information Technology in Biomedicine* (8)2, pp. 161–172.
- Labatut, V., et al. (2004) "Cerebral Modeling and Dynamic Bayesian Networks", *Artificial Intelligence in Medicine* (30)2, pp. 119–139.
- Larsson, J.E., et al. (1997) "Evaluation of a Medical Diagnosis System Using Simulator Test Scenarios", *Artificial Intelligence in Medicine* (11)2, pp. 119–140.
- Lau, F. (1994) "A Clinical Decision-support System Prototype for Cardiovascular Intensive-care", *International Journal of Clinical Monitoring and Computing* (11)3, pp. 157–169.
- Leaning, M.S., K.E.H. Ng, and D.G. Cramp (1992) "Decision Support for Patient-management in Oncology", *Medical Informatics* (17)1, pp. 35–46.

- Lee, T.I., et al. (2007) "Development and Evaluation of a Patient-oriented Education System for Diabetes Management", *International Journal of Medical Informatics* (76)9, pp. 655–663.
- Lehmann, H.P., and R.D. Shachter (1994) "A Physician-based Architecture for the Construction and Use of Statistical-models", *Methods of Information in Medicine* (33)4, pp. 423–432.
- Leitich, H., K.P. Adlassnig, and G. Kolarz (1996) "Development and Evaluation of Fuzzy Criteria for the Diagnosis of Rheumatoid Arthritis", *Methods of Information in Medicine* (35)4–5, pp. 334–342.
- Leitich, H., et al. (2001) "A Prospective Evaluation of the Medical Consultation System CADIAG-II/RHEUMA in a Rheumatological Outpatient Clinic", *Methods of Information in Medicine* (40)3, pp. 213–220.
- Lejbkovicz, I., et al. (2002) "Bone Browser a Decision-aid for the Radiological Diagnosis of Bone Tumors", *Computer Methods and Programs in Biomedicine* (67)2, pp. 137–154.
- Lendl, M., et al. (1999) "Nonlinear Model-based Predictive Control of Non-depolarizing Muscle Relaxants Using Neural Networks", *Journal of Clinical Monitoring and Computing* (15)5, pp. 271–278.
- Liang, Y., K.S. Leung, and T.S.K. Mok (2006) "A Novel Evolutionary Drug Scheduling Model in Cancer Chemotherapy", *IEEE Transactions on Information Technology in Biomedicine* (10)2, pp. 237–245.
- Lin, L., P.J.H. Hu, and O.R.L. Sheng (2006) "A Decision Support System for Lower Back Pain Diagnosis: Uncertainty Management and Clinical Evaluations", *Decision Support Systems* (42)2, pp. 1152–1169.
- Lindberg, D.A.B., B.L. Humphreys, and A.T. McCray (1993) "The Unified Medical Language System", *Methods of Information in Medicine* (32)4, pp. 281–291.
- Liu, C., et al. (2008) "A Bilateral Integrative Health-care Knowledge Service Mechanism Based on 'MedGrid'", *Computers in Biology and Medicine* (38)4, pp. 446–460.
- Lobach, D.F., C.S. Gadd, and J.W. Hales (1997) "Structuring Clinical Practice Guidelines in a Relational Database Model for Decision Support on the Internet", *Journal of the American Medical Informatics Association*, pp. 158–162.
- Lowe, H.J., et al. (1998) "Towards Knowledge-based Retrieval of Medical Images. The Role of Semantic Indexing, Image Content Representation and Knowledge-based Retrieval", *Journal of the American Medical Informatics Association*, pp. 882–886.
- Lucas, P.J.F., et al. (2000) "A Probabilistic and Decision-theoretic Approach to the Management of Infectious Disease at the ICU", *Artificial Intelligence in Medicine* (19)3, pp. 251–279.
- Ludemann, P. (1994) "Midterm Report on the Arden-syntax in a Clinical Event Monitor", *Computers in Biology and Medicine* (24)5, pp. 377–383.
- Lussier, Y.A., et al. (2007) "Partitioning Knowledge Bases Between Advanced Notification and Clinical Decision Support Systems", *Decision Support Systems* (43)4, pp. 1274–1286.
- Marin, R., et al. (1993) "Design and Integration of a Graphic Interface for an Expert-system in Oncology", *International Journal of Bio-Medical Computing* (33)1, pp. 25–43.
- Martens, G., and C.L. Zapf (1993) "A Reference System in Clinical Anesthesia", *Journal of Clinical Monitoring* (9)3, pp. 202–206.
- Martin, L. (2001) "Knowledge Acquisition and Evaluation of an Expert System for Managing Disorders of the Outer Eye", *Computers in Nursing* (19)3, pp. 114–117.
- Martins, S. B., et al. (2008) "Evaluation of an Architecture for Intelligent Query and Exploration of Time-oriented Clinical Data", *Artificial Intelligence in Medicine* (43)1, pp. 17–34.
- Mason, D.G., et al. (1999) "Self-learning Fuzzy Control with Temporal Knowledge for Atracurium-induced Neuromuscular Block During Surgery", *Computers and Biomedical Research* (32)3, pp. 187–197.
- Masys, D. (2002) "Effects of Current and Future Information Technologies on the Health Care Workforce", *Health Affairs* (21), pp. 33–41.
- McSherry, D. (1999) "Dynamic and Static Approaches to Clinical Data Mining", *Artificial Intelligence in Medicine* (16)1, pp. 97–115.
- Mendonca, E.A., et al. (2001) "Accessing Heterogeneous Sources of Evidence to Answer Clinical Questions", *Journal of Biomedical Informatics* (34)2, pp. 85–98.
- Meyers, K.C., H.J. Miller, and F. Naeymi-Rad (1998) "Problem Focused Knowledge Navigation: Implementing the Problem Focused Medical Record and the O-HEAP Note", *Journal of the American Medical Informatics Association*, pp. 325–329.

- Miksch, S., et al. (1996) "Utilizing Temporal Data Abstraction for Data Validation and Therapy Planning for Artificially Ventilated Newborn Infants", *Artificial Intelligence in Medicine* (8)6, pp. 543–576.
- Miller, D.W., S.J. Frawley, and P.L. Miller (1999) "Using Semantic Constraints to Help Verify the Completeness of a Computer-based Clinical Guideline for Childhood Immunization", *Computer Methods and Programs in Biomedicine* (58)3, pp. 267–280.
- Miller, P.L. (1998) "Tools for Immunization Guideline Knowledge Maintenance—I. Automated Generation of the Logic "Kernel" for Immunization Forecasting", *Computers and Biomedical Research* (31)3, pp. 172–189.
- Miller, P.L. (2001) "Domain-constrained Generation of Clinical Condition Sets to Help Test Computer-based Clinical Guidelines", *Journal of the American Medical Informatics Association* (8)2, pp. 131–145.
- Miller, P.L., et al. (1997a) "A Prototype Web Site for Immunization Knowledge Maintenance", *Journal of the American Medical Informatics Association*, pp. 293–297.
- Miller, P.L., et al. (1997b) "Combining Tabular, Rule-based, and Procedural Knowledge in Computer-based Guidelines for Childhood Immunization", *Computers and Biomedical Research* (30)3, pp. 211–231.
- Miller, P.L., S.J. Frawley, and F.G. Sayward (1998) "Issues in Accommodating National Changes and Local Variation in a Computer-based Guideline for Childhood Immunization and in Related Knowledge Maintenance Tools", *Journal of the American Medical Informatics Association*, pp. 563–567.
- Miller, P.L., S.J. Frawley, and F.G. Sayward (2001) "Maintaining and Incrementally Revalidating a Computer-based Clinical Guideline: A Case Study", *Journal of Biomedical Informatics* (34)2, pp. 99–111.
- Mira, J., et al. (1998) "Towards the Unification of Inference Structures in Medical Diagnostic Tasks", *Methods of Information in Medicine* (37)1, pp. 109–118.
- Mishra, R.B. and S. Dandapat (1993) "A Knowledge-based Interpretation System for EMG Abnormalities", *International Journal of Clinical Monitoring and Computing* (10)2, pp. 131–142.
- Moens, H.J.B. (1992) "Validation of the AIRHEUM Knowledge Base with Data from Consecutive Rheumatological Outpatients", *Methods of Information in Medicine* (31)3, pp. 175–181.
- Moens, H.J.B., A.J. Hirshberg, and A. Claessens (1992) "Data-source Effects on the Sensitivities and Specificities of Clinical-features in the Diagnosis of Rheumatoid-arthritis: The Relevance of Multiple Sources of Knowledge for a Decision-support System", *Medical Decision Making* (12)4, pp. 250–258.
- Molino, G., et al. (2000) "Validation of ICTERUS, a Knowledge-based Expert System for Jaundice Diagnosis", *Methods of Information in Medicine* (39)4–5, pp. 311–318.
- Molino, G., et al. (1996) "Computer-aided Diagnosis in Jaundice: Comparison of Knowledge-based and Probabilistic Approaches", *Methods of Information in Medicine* (35)1, pp. 41–51.
- Montani, S., et al. (1999) "Protocol-based Reasoning in Diabetic Patient Management", *International Journal of Medical Informatics* (53)1, pp. 61–77.
- Morbiducci, U., A. Tura, and M. Grigioni (2005) "Genetic Algorithms for Parameter Estimation in Mathematical Modeling of Glucose Metabolism", *Computers in Biology and Medicine* (35)10, pp. 862–874.
- Morris, T.A., K.W. McCain (1998) "The Structure of Medical Informatics Journal Literature", *Journal of the American Medical Informatics Association* (5)5, pp. 448–464.
- Muller, R., et al. (1996) "A Graph-grammar Approach to Represent Causal, Temporal and Other Contexts in an Oncological Patient Record", *Methods of Information in Medicine* (35)2, pp. 127–141.
- Muller, R., et al. (1997) "THEMPO: A Knowledge-based System for Therapy Planning in Pediatric Oncology", *Computers in Biology and Medicine* (27)3, pp. 177–200.
- Mulvaney, S.A., et al. (2008) "A Randomized Effectiveness Trial of a Clinical Informatics Consult Service: Impact on Evidence-based Decision-making and Knowledge Implementation", *Journal of the American Medical Informatics Association* (15)2, pp. 203–211.
- Musen, M.A., et al. (1996) "EON: A Component-based Approach to Automation of Protocol-directed Therapy", *Journal of the American Medical Informatics Association* (3)6, pp. 367–388.
- NCHC (2007) "Health Insurance Cost", <http://www.nchc.org/facts/cost.shtml> (current May 5, 2008).
- Nguyen, A.N.D., et al. (2000) "A Java-based Application for Differential Diagnosis of Hematopoietic Neoplasms Using Immunophenotyping by Flow Cytometry", *Computers in Biology and Medicine* (30)4, pp. 225–235.
- Nigrin, D.J. and I.S. Kohane (1998) "Data Mining by Clinicians", *Journal of the American Medical Informatics Association*, pp. 957–961.

- Nonaka, I. (1994) "A Dynamic Theory of Organizational Knowledge Creation," *Organization Science* (5), pp. 14–37.
- Nonaka, I., and H. Takeuchi (1995) "The Knowledge-Creating Company", *New York*.
- O'Neill, E.S., et al. (2004) "The N-CODES Project—The First Year", *Cin-Computers Informatics Nursing* (22)6, pp. 345–350.
- O'Neill, E.S., et al. (2006) "Coupling the N-CODES System with Actual Nurse Decision-making", *Cin-Computers Informatics Nursing* (24)1, pp. 28–34.
- Ohmann, C., et al. (1996) "Evaluation of Automatic Knowledge Acquisition Techniques in the Diagnosis of Acute Abdominal Pain", *Artificial Intelligence in Medicine* (8)1, pp. 23–36.
- Ohsaki, M., et al. (2007) "Evaluation of Rule Interestingness Measures in Medical Knowledge Discovery in Databases", *Artificial Intelligence in Medicine* (41)3, pp. 177–196.
- Oliveira, L.L.G., et al. (2008) "Computer-aided Diagnosis in Chest Radiography for Detection of Childhood Pneumonia", *International Journal of Medical Informatics* (77)8, pp. 555–564.
- Pagesy, R., G. Soula, and M. Fieschi (2000) "Improving Knowledge Navigation with Adaptive Hypermedia", *Medical Informatics and the Internet in Medicine* (25)1, pp. 63–77.
- Pankaskie, M.C. and M.M. Wagner (1997) "Use of CLIPS for Representation and Inference in a Clinical Event Monitor", *Journal of the American Medical Informatics Association*, pp. 193–197.
- Panzarasa, S., et al. (2002) "Evidence-based Careflow Management Systems: The Case of Post-stroke Rehabilitation", *Journal of Biomedical Informatics* (35)2, pp. 123–139.
- Park, H.T., et al. (2007) "Nursing Interventions Classification in Systematized Nomenclature of Medicine Clinical Terms—A Cross-mapping Validation", *Cin-Computers Informatics Nursing* (25)4, pp. 198–208.
- Patel, V.L., et al. (1998) "Representing Clinical Guidelines in GLIF: Individual and Collaborative Expertise", *Journal of the American Medical Informatics Association* (5)5, pp. 467–483.
- Patel, V.L., et al. (2002) "Analysis of the Process of Encoding Guidelines: A Comparison of GLIF2 and GLIF3", *Methods of Information in Medicine* (41)2, pp. 105–113.
- Paul, D.L. (2006) "Collaborative Activities in Virtual Settings: A Knowledge Management Perspective of Telemedicine", *Journal of Management Information Systems* (22)4, pp. 143–176.
- Paul, S., et al. (2006) "A Semantically Enabled Formalism for the Knowledge Management of Parkinson's Disease", *Medical Informatics and the Internet in Medicine* (31) 2, pp. 101–120.
- Pavia, L. (2001) "The Era of Knowledge in Health Care", *Health Care Strategic Management* (19)2, pp. 12–13.
- Peek, N.B. (1999) "Explicit Temporal Models for Decision-theoretic Planning of Clinical Management", *Artificial Intelligence in Medicine* (15)2, pp. 135–154.
- Peleg, M., et al. (2001) "Sharable Representation of Clinical Guidelines in GLIF: Relationship to the Arden Syntax", *Journal of Biomedical Informatics* (34)3, pp. 170–181.
- Peleg, M., S. Keren, and Y. Denekamp (2008) "Mapping Computerized Clinical Guidelines to Electronic Medical Records: Knowledge-data Ontological Mapper (KDOM)", *Journal of Biomedical Informatics* (41)1, pp. 180–201.
- Peleg, M., and S. Tu (2006) "Decision Support, Knowledge Representation and Management in Medicine", *Methods of Information in Medicine* (45), pp. 72–80.
- Pesonen, E., et al. (1994) "Parameters for a Knowledge-base for Acute Appendicitis", *Methods of Information in Medicine* (33)2, pp. 220–226.
- Pfeifer, B., et al. (2006) "Atrial and Ventricular Myocardium Extraction Using Model-based Techniques", *Methods of Information in Medicine* (45)1, pp. 19–26.
- Pluye, P., et al. (2007a) "Seven Reasons Why Health Professionals Search Clinical Information-retrieval Technology (CIRT): Toward an Organizational Model", *Journal of Evaluation in Clinical Practice* (13)1, pp. 39–49.
- Pluye, P., et al. (2007b) "Systematically Assessing the Situational Relevance of Electronic Knowledge Resources: A Mixed Methods Study", *Journal of the American Medical Informatics Association* (14)5, pp. 616–625.
- Polanyi, M. (1967) *The Tacit Dimension*, New York: Anchor Books.
- Popp, H.J., et al. (1991) "An Interactive Computer Simulator of the Circulation for Knowledge Acquisition in Cardio-anesthesia", *International Journal of Clinical Monitoring and Computing* (8)3, pp. 151–158.

- Powsner, S.M. and P.L. Miller (1992) "Automated Online Transition from the Medical Record to the Psychiatric Literature", *Methods of Information in Medicine* (31)3, pp. 169–174.
- Protheroe, J., et al. (2007) "Effectiveness of a Computerized Decision Aid in Primary Care on Decision Making and Quality of Life in Menorrhagia: Results of the MENTIP Randomized Controlled Trial", *Medical Decision Making* (27)5, pp. 575–584.
- Pryor, T.A. (1994) "The Use of Medical Logic Modules at LDS Hospital", *Computers in Biology and Medicine* (24)5, pp. 391–395.
- Pryor, T.A., and G. Hripcsak (1993) "The Arden Syntax for Medical Logic Modules", *International Journal of Clinical Monitoring and Computing* (10)4, pp. 215–224.
- Quaglini, S., et al. (2000) "Guideline-based Careflow Systems", *Artificial Intelligence in Medicine* (20)1, pp. 5–22.
- Quaglini, S., et al. (2001) "Flexible Guideline-based Patient Careflow Systems", *Artificial Intelligence in Medicine* (22)1, pp. 65–80.
- Rader, T., and A.J. Gagnon (2000) "Expediting the Transfer of Evidence into Practice: Building Clinical Partnerships", *Bulletin of the Medical Library Association* (88)3, pp. 247–250.
- Raghavan, S.R., V. Ladik, and K.B. Meyer (2005) "Developing Decision Support for Dialysis Treatment of Chronic Kidney Failure", *IEEE Transactions on Information Technology in Biomedicine* (9)2, pp. 229–238.
- Rector, A.L., et al. (1997) "The GRAIL Concept Modelling Language for Medical Terminology", *Artificial Intelligence in Medicine* (9)2, pp. 139–171.
- Richards, G., et al. (2001) "Data Mining for Indicators of Early Mortality in a Database of Clinical Records", *Artificial Intelligence in Medicine* (22)3, pp. 215–231.
- Ridderikhoff, J., and E. vanHerk (1997) "A Diagnostic Support System in General Practice: Is It Feasible?" *International Journal of Medical Informatics* (45)3, pp. 133–143.
- Riou, C., B. Pouliquen, and P. Le Beux (1999) "A Computer-assisted Drug Prescription System: The Model and Its Implementation in the ATM Knowledge Base", *Methods of Information in Medicine* (38)1, pp. 25–30.
- Riva, A., et al. (1998) "A Development Environment for Knowledge-based Medical Applications on the World-Wide Web", *Artificial Intelligence in Medicine* (14)3, pp. 279–293.
- Rogers, J.E., et al. (1998) "Validating Clinical Terminology Structures: Integration and Cross-validation of Read Thesaurus and GALEN", *Journal of the American Medical Informatics Association*, pp. 845–849.
- Ruan, W., T. Burkle, and J. Dudeck (2000) "An Object-oriented Design for Automated Navigation of Semantic Networks Inside a Medical Data Dictionary", *Artificial Intelligence in Medicine* (18)1, pp. 83–103.
- Ruland, C.M., and S. Bakken (2002) "Developing, Implementing, and Evaluating Decision Support Systems for Shared Decision Making in Patient Care: A Conceptual Model and Case Illustration", *Journal of Biomedical Informatics* (35)5–6, pp. 313–321.
- Sacha, J.P., L.S. Goodenday, and K.J. Cios (2002) "Bayesian Learning for Cardiac SPECT Image Interpretation", *Artificial Intelligence in Medicine* (26)1–2, pp. 109–143.
- Sakellaropoulos, G.C., et al. (2003) "An Experimental Environment for the Production, Exchange and Discussion of Fused Radiology Images, for the Management of Patients with Residual Brain Tumour Disease", *Medical Informatics and the Internet in Medicine* (28)2, pp. 135–146.
- Sandars, J., and R. Heller (2006) "Improving the Implementation of Evidence-based Practice: A Knowledge Management Perspective", *Journal of Evaluation in Clinical Practice* (12)3, pp. 341–346.
- Schmalhofer, F.J., and B. Tschaitshian (1998) "Cooperative Knowledge Evolution: A Construction-integration Approach to Knowledge Discovery in Medicine", *Methods of Information in Medicine* (37)4–5, pp. 491–500.
- Schulz, E.B., C. Price, and P.J.B. Brown (1997) "Symbolic Anatomic Knowledge Representation in the Read Codes Version 3: Structure and Application", *Journal of the American Medical Informatics Association* (4)1, pp. 38–48.
- Schulz, S., M. Romacker, and U. Hahn (1998) "Part-whole Reasoning in Medical Ontologies Revisited—Introducing SEP Triplets into Classification-based Description Logics", *Journal of the American Medical Informatics Association*, pp. 830–834.
- Schweiger, R., et al. (2001) "DTDs Go XML Schema—A Tools Perspective", *Medical Informatics and the Internet in Medicine* (26)4, pp. 297–308.

- Scott, G.C., and L.A. Lenert (1998) "Extending Contemporary Decision Support System Designs to Patient-oriented Systems", *Journal of the American Medical Informatics Association*, pp. 376–380.
- Seka, L.P., et al. (1997) "Computer Assisted Medical Diagnosis Using the Web", *International Journal of Medical Informatics* (47)1–2, pp. 51–56.
- Seroussi, B., J. Bouaud, and E.C. Antoine (2001) "OncoDoc: A Successful Experiment of Computer-supported Guideline Development and Implementation in the Treatment of Breast Cancer", *Artificial Intelligence in Medicine* (22)1, pp. 43–64.
- Seroussi, B., et al. (1995) "Control-theory as a Conceptual-framework for Intensive-care Monitoring", *Artificial Intelligence in Medicine* (7)2, pp. 155–177.
- Shahar, Y., and M.A. Musen (1996) "Knowledge-based Temporal Abstraction in Clinical Domains", *Artificial Intelligence in Medicine* (8)3, pp. 267–298.
- Shahar, Y., et al. (1999) "Semi-automated Entry of Clinical Temporal-abstraction Knowledge", *Journal of the American Medical Informatics Association* (6)6, pp. 494–511.
- Shahar, Y., et al. (2004) "A Framework for a Distributed, Hybrid, Multiple-ontology Clinical-guideline Library, and Automated Guideline-support Tools", *Journal of Biomedical Informatics* (37)5, pp. 325–344.
- Shahsavari, N., et al. (1995) "Evaluation of a Knowledge-based Decision-support System for Ventilator Therapy Management", *Artificial Intelligence in Medicine* (7)1, pp. 37–52.
- Sheng, O.R.L., et al. (2000) "Automated Learning of Patient Image Retrieval Knowledge: Neural Networks versus Inductive Decision Trees", *Decision Support Systems* (30)2, pp. 105–124.
- Shiffman, R.N., et al. (2000) "GEM: A Proposal for a More Comprehensive Guideline Document Model Using XML", *Journal of the American Medical Informatics Association* (7)5, pp. 488–498.
- Shiffman, R.N., et al. (2004) "Bridging the Guideline Implementation Gap: A Systematic, Document-centered Approach to Guideline Implementation", *Journal of the American Medical Informatics Association* (11)5, pp. 418–426.
- Silva, A., et al. (2008) "Rating Organ Failure via Adverse Events Using Data Mining in the Intensive Care Unit", *Artificial Intelligence in Medicine* (43)3, pp. 179–193.
- Sim, I., B. Olasov, and S. Carini (2004) "An Ontology of Randomized Controlled Trials for Evidence-based Practice: Content Specification and Evaluation Using the Competency Decomposition Method", *Journal of Biomedical Informatics* (37)2, pp. 108–119.
- Sintchenko, V., et al. (2004) "Comparative Impact of Guidelines, Clinical Data, and Decision Support on Prescribing Decisions: An Interactive Web Experiment with Simulated Cases", *Journal of the American Medical Informatics Association* (11)1, pp. 71–77.
- Siregar, P., and P. Toulouse (1995) "Model-based Diagnosis of Brain Disorders: A Prototype Framework", *Artificial Intelligence in Medicine* (7)4, pp. 315–342.
- Sjoberg, B., et al. (2007) "Design and Implementation of a Point-of-care Computerized System for Drug Therapy in Stockholm Metropolitan Health Region—Bridging the Gap Between Knowledge and Practice", *International Journal of Medical Informatics* (76)7, pp. 497–506.
- Skonetzki, S., et al. (2004) "HELEN, a Modular Framework for Representing and Implementing Clinical Practice Guidelines", *Methods of Information in Medicine* (43)4, pp. 413–426.
- Smith, C.E., et al. (2002) "Quality Assurance Processes for Designing Patient Education Web Sites", *Cin-Computers Informatics Nursing* (20)5, pp. 191–192.
- Smith, D.S., J.Y. Park, and M.A. Musen (1998) "Therapy Planning as Constraint Satisfaction: A Computer-based Antiretroviral Therapy Advisor for the Management of HIV", *Journal of the American Medical Informatics Association*, pp. 627–631.
- Sneiderman, et al. (2007) "Knowledge-based Methods to Help Clinicians Find Answers in MEDLINE", *Journal of the American Medical Informatics Association* (14)6, pp. 772–780.
- Sonnenberg, F.A., C.G. Hagerty, and C.A. Kulikowski (1994) "An Architecture for Knowledge-based Construction of Decision-models", *Medical Decision Making* (14)1, pp. 27–39.
- Sorenson, D., et al. (2008) "A Frame-based Representation for a Bedside Ventilator Weaning Protocol", *Journal of Biomedical Informatics* (41)3, pp. 461–468.
- Spencer, R. G., et al. (1997) "Self-organising Discovery, Recognition and Prediction of Haemodynamic Patterns in the Intensive Care Unit", *Medical & Biological Engineering & Computing* (35)2, pp. 117–123.

- Stefanelli, M. (2001) "The Socio-organizational Age of Artificial Intelligence in Medicine", *Artificial Intelligence in Medicine* (23)1, pp. 25–47.
- Sukuvaara, T., et al. (1993) "A Knowledge-based Alarm System for Monitoring Cardiac Operated Patients: Technical Construction and Evaluation", *International Journal of Clinical Monitoring and Computing* (10)2, pp. 117–126.
- Summers, R., E.R. Carson, and D.G. Cramp (1993) "Ventilator Management: The role of Knowledge-based Technology", *IEEE Engineering in Medicine and Biology Magazine* (12)4, pp. 50–58.
- Sutton, D.R., and J. Fox (2003) "The Syntax and Semantics of the PROforma Guideline Modeling Language", *Journal of the American Medical Informatics Association* (10)5, pp. 433–443.
- Sward, K., et al. (2008) "Reasons for Declining Computerized Insulin Protocol Recommendations: Applications of a Framework", *Journal of Biomedical Informatics* (41)3, pp. 488–497.
- Taboada, J.A., B. Arcay, and J E. Arias (1997) "Real Time Monitoring and Analysis via the Medical Information Bus, Part I", *Medical & Biological Engineering & Computing* (35)5, pp. 528–534.
- Tan, K.C., et al. (2003) "Evolutionary Computing for Knowledge Discovery in Medical Diagnosis", *Artificial Intelligence in Medicine* (27)2, pp. 129–154.
- Tarczy-Hornoch, P., et al. (1997) "Meeting Clinician Information Needs by Integrating Access to the Medical Record and Knowledge Resources via the Web", *Journal of the American Medical Informatics Association*, pp. 809–813.
- Teich, J.M., et al. (2005) "Clinical Decision Support in Electronic Prescribing: Recommendations and an Action Plan", *Journal of the American Medical Informatics Association* (12)4, pp. 365–376.
- ten Teije, A., et al. (2006) "Improving Medical Protocols by Formal Methods", *Artificial Intelligence in Medicine* (36)3, pp. 193–209.
- Terenziani, P., G. Molino, and M. Torchio (2001) "A Modular Approach for Representing and Executing Clinical Guidelines", *Artificial Intelligence in Medicine* (23)3, pp. 249–276.
- Thomson, M.D., and L. Hoffman-Goetz (2007) "Readability and Cultural Sensitivity of Web-based Patient Decision Aids for Cancer Screening and Treatment: A Systematic Review", *Medical Informatics and the Internet in Medicine* (32)4, pp. 263–286.
- Timpka, T., and M. Johansson (1994) "The Need for Requirements Engineering in the Development of Clinical Decision-support Systems: A Qualitative Study", *Methods of Information in Medicine* (33)2, pp. 227–233.
- Todd, B.S., and R. Stamper (1994) "The Relative Accuracy of a Variety of Medical Diagnostic Programs", *Methods of Information in Medicine* (33)4, pp. 402–416.
- Tsumoto, S. (1998) "Automated Knowledge Acquisition from Clinical Databases Based on Rough Sets and Attribute-oriented Generalization", *Journal of the American Medical Informatics Association*, pp. 548–552.
- Tsumoto, S. (2000) "Automated Discovery of Positive and Negative Knowledge in Clinical Databases", *IEEE Engineering in Medicine and Biology Magazine* (19)4, pp. 56–62.
- Tsumoto, S., and H. Tanaka (1997) "Incremental Learning of Probabilistic Rules from Clinical Databases Based on Rough Set Theory", *Journal of the American Medical Informatics Association*, pp. 198–202.
- Tucker, A., et al. (2005) "A Spatio-temporal Bayesian Network Classifier for Understanding Visual Field Deterioration", *Artificial Intelligence in Medicine* (34)2, pp. 163–177.
- Urschitz, M., et al. (1998) "Three Years Experience with a Patient Data Management System at a Neonatal Intensive Care Unit", *Journal of Clinical Monitoring and Computing* (14)2, pp. 119–125.
- van der Slis, H., et al. (2008) "Turning Off Frequently Overridden Drug Alerts: Limited Opportunities for Doing It Safely", *Journal of the American Medical Informatics Association* (15)4, pp. 439–448.
- van Gerven, M.A.J., B.G. Taal, and P.J.F. Lucas (2008) "Dynamic Bayesian Networks as Prognostic Models for Clinical Patient Management", *Journal of Biomedical Informatics* (41)4, pp. 515–529.
- Van Hyfte, D., et al. (2001) "A Formal Framework of Knowledge to Support Rational Psychoactive Drug Selection", *Artificial Intelligence in Medicine* (22)3, pp. 261–275.
- van Oosterhout, E.M.W., et al. (2005) "Three-layer Model for the Design of a Protocol Support System", *International Journal of Medical Informatics* (74)2–4, pp. 101–110.
- Vannozzi, G., et al. (2007) "Extraction of Information on Elder Motor Ability from Clinical and Biochemical Data Through Data Mining", *Computer Methods and Programs in Biomedicine* (88)1, pp. 85–94.

- Vazquez, J.C.D., et al. (2007) "Intelligent Agents Technology Applied to Tasks Scheduling and Communications Management in a Critical Care Telemonitoring System", *Computers in Biology and Medicine* (37)6, pp. 760–773.
- Verduijn, M., et al. (2007a) "Prognostic Bayesian Networks I: Rationale, Learning Procedure, and Clinical Use", *Journal of Biomedical Informatics* (40)6, pp. 609–618.
- Verduijn, M., et al. (2007b) "Temporal Abstraction for Feature Extraction: A Comparative Case Study in Prediction from Intensive Care Monitoring Data", *Artificial Intelligence in Medicine* (41)1, pp. 1–12.
- Viceconti, M., et al. (1993) "A Software Simulation of Tibial Fracture Reduction with External Fixator", *Computer Methods and Programs in Biomedicine* (40)2, pp. 89–94.
- Vingtoft, S., et al. (1994) "ESTEEM (European Standardized Telematic Tool to Evaluate EMG Knowledge-based Systems and Methods)—AIM Project A2010", *Computer Methods and Programs in Biomedicine* (45)1–2, pp. 61–63.
- Vissers, M.C., et al. (1996) "Effects of a Supportive Protocol Processing System (ProtoVIEW) on Clinical Behaviour of Residents in the Accident and Emergency Department", *Computer Methods and Programs in Biomedicine* (49)2, pp. 177–184.
- Vollebregt, A., et al. (1999) "A Study of PROforma, a Development Methodology for Clinical Procedures", *Artificial Intelligence in Medicine* (17)2, pp. 195–221.
- Walczak, S. (2003) "A Multiagent Architecture for Developing Medical Information Retrieval Agents", *Journal of Medical Systems* (27)5, pp. 479–498.
- Wang, D.W., et al. (2004) "Design and Implementation of the GLIF3 Guideline Execution Engine", *Journal of Biomedical Informatics* (37)5, pp. 305–318.
- Westbrook, J.I., A.S. Gosling, and E.W. Coiera (2005) "The Impact of an Online Evidence System on Confidence in Decision making in a Controlled Setting", *Medical Decision Making* (25)2, pp. 178–185.
- Wigertz, O. (1995) "Clinical Decision-support: How, When and for Whom", *Computer Methods and Programs in Biomedicine* (48)1–2, pp. 15–20.
- Wilcox, A., and G. Hripcsak (1998) "Knowledge Discovery and Data Mining to Assist Natural Language Understanding", *Journal of the American Medical Informatics Association*, pp. 835–839.
- Wilcox, A.B., and G. Hripcsak (2003) "The Role of Domain Knowledge in Automating Medical Text Report Classification", *Journal of the American Medical Informatics Association* (10)4, pp. 330–338.
- Wilson, E.V., N.K. Lankton (2004) "Interdisciplinary Research and Publication Opportunities in Information Systems and Health Care", *Communications of the Acm* (14), pp. 332–343.
- Wolfram, D.A. (1995) "An Appraisal of INTERNIST-I", *Artificial Intelligence in Medicine* (7)2, pp. 93–116.
- Wong, E.T., et al. (1994) "Interfacing a Stand-alone Diagnostic Expert-system with a Hospital Information-system", *Computers and Biomedical Research* (27)2, pp. 116–129.
- Wright, A., et al. (2007) "A Description and Functional Taxonomy of Rule-based Decision Support Content at a Large Integrated Delivery Network", *Journal of the American Medical Informatics Association* (14)4, pp. 489–496.
- Wulff, H.R. (2000) "Clinical Medicine in the Age of the Computer", *Australian and New Zealand Journal of Medicine* (30)4, pp. 503–505.
- Wyatt, J. (1997) "Quantitative Evaluation of Clinical Software, Exemplified by Decision Support Systems", *International Journal of Medical Informatics* (47)3, pp. 165–173.
- Yan, H.M., et al. (2004) "The Internet-based Knowledge Acquisition and Management Method to Construct Large-scale Distributed Medical Expert Systems", *Computer Methods and Programs in Biomedicine* (74)1, pp. 1–10.
- Ying, H., et al. (2006) "A Fuzzy Discrete Event System Approach to Determining Optimal HIV/AIDS Treatment Regimens", *IEEE Transactions on Information Technology in Biomedicine* (10)4, pp. 663–676.
- Yu, H., et al. (2007) "Development, Implementation, and a Cognitive Evaluation of a Definitional Question Answering System for Physicians", *Journal of Biomedical Informatics* (40)3, pp. 236–251.
- Zalounina, A., et al. (2007) "A Stochastic Model of Susceptibility to Antibiotic Therapy—The Effects of Cross-resistance and Treatment History", *Artificial Intelligence in Medicine* (40)1, pp. 57–63.
- Zhao, Y.K., et al. (1994) "Design and Development of an Expert-system to Assist Diagnosis and Treatment of Chronic Hepatitis Using Traditional Chinese Medicine", *Medical Informatics* (19)1, pp. 37–45.

Zheng, M.M., S.M. Krishnan, and M.P. Tjoa (2005) "A Fusion-based Clinical Decision Support for Disease Diagnosis from Endoscopic Images", *Computers in Biology and Medicine* (35)3, pp. 259–274.

Zielstorff, R.D., et al. (1997) "Evaluation of a Decision Support System for Pressure Ulcer Prevention and Management: Preliminary Findings", *Journal of the American Medical Informatics Association*, pp. 248–252.

Zupan, B., et al. (2001) "Predicting Patient's Long-term Clinical Status After Hip Arthroplasty Using Hierarchical Decision Modelling and Data Mining", *Methods of Information in Medicine* (40)1, pp. 25–31.

ABOUT THE AUTHORS

Omar F. El-Gayar is a Professor of Information Systems at the College of Business and Information Systems and the Dean of Graduate Studies and Research at Dakota State University. His research interests include: decision support systems, multiple criteria decision making, and the application of decision technologies in healthcare, security planning and management, and environmental management. He has an inter-disciplinary educational background and training in information technology, computer science, economics, and operations research. He has published in journals such as *Decision Support Systems* and *The European Journal for Operational Research*. In addition to his academic credentials, he has industry experience as an analyst, modeler, and programmer. He is a member of AIS, ACM, INFORMS, and DSI.

Amit V. Deokar is an Assistant Professor of Information Systems in the College of Business and Information Systems at Dakota State University. His recent research interests are in business process management, collaboration processes and technologies, decision support systems, knowledge management, and healthcare informatics. He has published several conference publications, journal articles, and book chapters in these areas. He holds a BE in Mechanical Engineering from V.J. Technological Institute, Mumbai, an MS in Industrial Engineering from the University of Arizona, and a PhD in Management Information Systems from the University of Arizona. He is a member of AIS, ACM, and AAI.

Surendra Sarnikar is an Assistant Professor in Information Systems at the College of Business and Information Systems, Dakota State University. He holds a Bachelors degree in Engineering from Osmania University, India, and a PhD in Management Information Systems from the University of Arizona. He teaches design research and knowledge management at the Dakota State University and has published several conference and journal publications in the area of knowledge management systems, information retrieval and healthcare information systems.

Matthew J. Wills is a doctoral candidate in the Doctor of Science Information Systems program at Dakota State University. He also holds an MSc in Information Systems from Dakota State University. He has published on a broad range of health care related topics including clinical decision support systems, clinical knowledge management systems, electronic health records and comparative effectiveness cyberinfrastructure research systems. He has presented his research at international and national conferences including IACIS, DSI, AMCIS and the Mayo Clinic Systems Engineering/Operational Research Conference. He is a member of the ACM, DSI, AMIA, INFORMS and AHIMA.



Copyright © 2010 by the Association for Information Systems. Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and full citation on the first page. Copyright for components of this work owned by others than the Association for Information Systems must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, or to redistribute to lists requires prior specific permission and/or fee. Request permission to publish from: AIS Administrative Office, P.O. Box 2712 Atlanta, GA, 30301-2712, Attn: Reprints; or via e-mail from ais@aisnet.org.



Communications of the Association for Information Systems

ISSN: 1529-3181

EDITOR-IN-CHIEF
Ilze Zigurs
University of Nebraska at Omaha

CAIS SENIOR EDITORIAL BOARD

Guy Fitzgerald Vice President Publications Brunel University	Ilze Zigurs Editor, CAIS University of Nebraska at Omaha	Kalle Lyytinen Editor, JAIS Case Western Reserve University
Edward A. Stohr Editor-at-Large Stevens Institute of Technology	Blake Ives Editor, Electronic Publications University of Houston	Paul Gray Founding Editor, CAIS Claremont Graduate University

CAIS ADVISORY BOARD

Gordon Davis University of Minnesota	Ken Kraemer University of California at Irvine	M. Lynne Markus Bentley University	Richard Mason Southern Methodist University
Jay Nunamaker University of Arizona	Henk Sol University of Groningen	Ralph Sprague University of Hawaii	Hugh J. Watson University of Georgia

CAIS SENIOR EDITORS

Steve Alter University of San Francisco	Jane Fedorowicz Bentley University	Jerry Luftman Stevens Institute of Technology
--	---------------------------------------	--

CAIS EDITORIAL BOARD

Monica Adya Marquette University	Michel Avital University of Amsterdam	Dinesh Batra Florida International University	Indranil Bose University of Hong Kong
Thomas Case Georgia Southern University	Evan Duggan University of the West Indies	Sy Goodman Georgia Institute of Technology	Mary Granger George Washington University
Ake Gronlund University of Umea	Douglas Havelka Miami University	K.D. Joshi Washington State University	Michel Kalika University of Paris Dauphine
Karlheinz Kautz Copenhagen Business School	Julie Kendall Rutgers University	Nancy Lankton Michigan State University	Claudia Loebbecke University of Cologne
Paul Benjamin Lowry Brigham Young University	Sal March Vanderbilt University	Don McCubbrey University of Denver	Fred Niederman St. Louis University
Shan Ling Pan National University of Singapore	Katia Passerini New Jersey Institute of Technology	Jackie Rees Purdue University	Thompson Teo National University of Singapore
Chelley Vician Michigan Technological University	Padmal Vitharana Syracuse University	Rolf Wigand University of Arkansas, Little Rock	A.B.J.M. (Fons) Wijnhoven University of Twente
Vance Wilson Arizona State University	Peter Wolcott University of Nebraska at Omaha	Yajiong Xue East Carolina University	

DEPARTMENTS

Global Diffusion of the Internet Editors: Peter Wolcott and Sy Goodman	Information Technology and Systems Editors: Sal March and Dinesh Batra
Papers in French Editor: Michel Kalika	Information Systems and Healthcare Editor: Vance Wilson

ADMINISTRATIVE PERSONNEL

James P. Tinsley AIS Executive Director	Vipin Arora CAIS Managing Editor University of Nebraska at Omaha	Sheri Hronek CAIS Publications Editor Hronek Associates, Inc.	Copyediting by S4Carlisle Publishing Services
--	--	---	--

